





3 1761 04900066 4

QK
308
C8

UNIV. OF
TORONTO
LIBRARY





Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

<http://www.archive.org/details/floraofbanffshir00craiuoft>

Aberdeen University

Studies : No. 54

336-



The Flora of Banffshire

132016
21/3/14

University of Aberdeen.

COMMITTEE ON PUBLICATIONS.

Convener: Professor JAMES W. H. TRAIL, F.R.S., Curator of the Library.


UNIVERSITY STUDIES.

General Editor: P. J. ANDERSON, LL.B., Librarian to the University.

1900. No. 1.—*Roll of Alumni in Arts of King's College, 1596-1860.* P. J. Anderson.
- " No. 2.—*Records of Old Aberdeen, 1157-1891.* A. M. Munro, F.S.A. Scot. Vol. I.
- " No. 3.—*Place Names of West Aberdeenshire.* James Macdonald, F.S.A. Scot.
1901. No. 4.—*Family of Burnett of Leys.* George Burnett, LL.D., Lyon King of Arms.
- " No. 5.—*Records of Invercauld, 1547-1828.* Rev. J. G. Michie, M.A.
1902. No. 6.—*Rectorial Addresses in the Universities of Aberdeen, 1835-1900.* P. J. Anderson.
- " No. 7.—*Albemarle Papers, 1746-48.* Professor C. S. Terry, M.A.
1903. No. 8.—*House of Gordon.* J. M. Bulloch, M.A. Vol. I.
- " No. 9.—*Records of Elgin.* William Cramond, LL.D. Vol. I.
1904. No. 10.—*Avogadro and Dalton.* A. N. Meldrum, D.Sc.
- " No. 11.—*Records of the Sheriff Court of Aberdeenshire.* David Littlejohn, LL.D. Vol. I.
- " No. 12.—*Proceedings of the Anatomical and Anthropological Society, 1902-04.*
1905. No. 13.—*Report on Alcyonaria.* Professor J. Arthur Thomson, M.A., and others.
- " No. 14.—*Researches in Organic Chemistry.* Prof. F. R. Japp, F.R.S., and others.
- " No. 15.—*Meminisse Juvat: with Appendix of Alakeia.* Alexander Shewan, M.A.
- " No. 16.—*Blackhalls of that Ilk and Barra.* Alexander Morison, M.D.
1906. No. 17.—*Records of the Scots Colleges.* Vol. I. P. J. Anderson.
- " No. 18.—*Roll of the Graduates, 1860-1900.* Colonel William Johnston, C.B., M.D., LL.D.
- " No. 19.—*Studies in the History of the University.* P. J. Anderson and others.
- " No. 20.—*Studies in the History and Art of the Eastern Provinces of the Roman Empire.*
Professor Sir W. M. Ramsay, D.C.L., and pupils.
- " No. 21.—*Studies in Pathology.* William Bulloch, M.D., and others.
- " No. 22.—*Proceedings of the Anatomical and Anthropological Society, 1904-06.*
- " No. 23.—*Subject Catalogues of the Science Library and the Law Library.* P. J. Anderson.
- " No. 24.—*Records of the Sheriff Court of Aberdeenshire.* David Littlejohn, LL.D. Vol. II.
1907. No. 25.—*Studies on Alcyonarians and Antipatharians.* Prof. Thomson, M.A., and others.
- " No. 26.—*Surgical Instruments in Greek and Roman Times.* J. S. Milne, M.A. M.D.
- " No. 27.—*Records of the Sheriff Court of Aberdeenshire.* David Littlejohn, LL.D. Vol. III.
- " No. 28.—*Flosculi Græci Boreales.* Ser. II. Professor John Harrower, M.A.
- " No. 29.—*Record of the Quatercentenary, 1906.* P. J. Anderson.
- " No. 30.—*House of Gordon.* J. M. Bulloch, M.A. Vol. II.
1908. No. 31.—*Miscellany of the New Spalding Club.* Vol. II.
- " No. 32.—*Religious Teachers of Greece.* James Adam, Litt.D. (Gifford Lectures, 1904-06.)
- " No. 33.—*Science and Philosophy of the Organism.* Hans Driesch, Ph.D. (Giff. Lect., 1907.)
- " No. 34.—*Proceedings of the Anatomical and Anthropological Society, 1906-08.*
- " No. 35.—*Records of Elgin.* Vol. II. Rev. S. Ree, B.D.
- " No. 36.—*Pigmentation Survey of School Children.* J. F. Tocher, B.Sc.
1909. No. 37.—*Science and Philosophy of Organism.* Hans Driesch, Ph.D. Vol. II. (Giff. Lect., 1908.)
- " No. 38.—*Studies on Alcyonarians and Hydroids.* Prof. Thomson, M.A., and others. Ser. III.
- " No. 39.—*Publications of Scottish Clubs.* Professor C. S. Terry, M.A.
- " No. 40.—*Aberdeen Friars: Red, Black, White, Grey.* P. J. Anderson.
- " No. 41.—*Studies on Alcyonarians.* Professor Thomson, M.A., and others. Ser. IV.
- " No. 42.—*Records of Old Aberdeen.* A. M. Munro. Vol. II.
1910. No. 43.—*Musa Latina Aberdonensis: Poetae Minores.* W. K. Leask, M.A.
- " No. 44.—*Bulletins of the Aberdeen and North of Scotland College of Agriculture.* Nos. 1-14.
1911. No. 45.—*Records of Inverness.* W. Mackay and H. C. Boyd. Vol. I.
- " No. 46.—*Zoological Studies.* Professor Thomson and others. Ser. V.
- " No. 47.—*Subject Catalogue of the Phillips Library.*
- " No. 48.—*Zoological Studies.* Professor Thomson and others. Ser. VI.
- " No. 49.—*Anacreontic Poetry of Germany.* John Lees, D.Litt.
- " No. 50.—*Creeches and Confessions of Faith.* Professor W. A. Curtis, D.Litt.
- " No. 51.—*Aberdeen Alumni at Other Universities.* Part I. Professor J. Harrower, LL.D.
1912. No. 52.—*Royal Fishery Companies.* J. R. Elder, M.A.
- " No. 53.—*Zoological Studies.* Professor Thomson and others. Ser. VII.
- " No. 54.—*Flora of Banffshire.* W. G. Craib, M.A.
- " No. 55.—*Catalogue of Anthropological Museum.* Professor R. W. Reid, M.D.

VI

The Flora of Banffshire




By

William Grant Craib, M.A.

Aberdeen

Printed for the University

MCMXII



QK
308
c8

PRESENTED, *2nd November 1911.*

PAPER ON "THE FLORA OF BANFFSHIRE" BY
WILLIAM G. CRAIB, M.A.

Moved by the publication of the Flora of Buchan by Professor Trail, of Aberdeen University, by the very meagre information to be got for Banffshire from Professor Dickie's Botanist's Guide, and by the publication of two or three local lists in the Transactions of the Banffshire Field Club, its indefatigable secretary, Mr John Yeats, M.A., conceived the idea that by the systematic co-operation of botanists throughout the county it might be possible to collect such information regarding the distribution of plants in Banffshire as might be worthy of a place in the Club's Transactions. Being responsible for one of the local lists referred to, I was induced by the Secretary and by Mr Grant, the treasurer, to undertake the task with the aid of such botanists and collectors as might be available. Such is the origin of the following botanical survey of the County of Banff.

The area at first contemplated was not the rather artificial geographical area of the county, but the more natural region between the rivers Deveron and Spey, including these river basins. The lack of botanists, however, or more probably their modesty, led to the enforced curtailment of this wider scheme, and only Banffshire proper, with the addition of a few outside parishes on the banks of the rivers named, has been surveyed. The task, though thus restricted, has been no light one. Banffshire, with a seaboard of 32 miles, and a stretch inland in a south-westerly direction of 67 miles, reaching the high elevation of 4296 feet in Ben Mac Dhui, with many other mountains and mountain ranges scarcely inferior in height, bounded by two large rivers and intersected by numerous streams and rills, with all the variations in soil, climate, and rainfall that such a configuration implies affords a field for the botanist of great variety and extent.

The general plan of the work is the same as Professor Trail's Flora of Buchan, to which it may be looked upon as a companion, seeing that three parishes—Gamrie, King-Edward, and Turriff—occur in both, as does also that part of the parish of Alvah lying to the East of Deveron. All the records in the Flora of Buchan are based on Professor Trail's personal observations, but here, where there has been collaboration, the symbols employed are necessarily different, and may be thus explained:—

o denotes old records not verified during the progress of this work.

x, records by Professor Trail.

! denotes records by myself.

Dry ,, that I have seen a dried specimen of the particular plant from that parish.

* ,, records by the following botanists in the parishes against their names :—

Cullen—Mr James Ritchie, M.A., B.Sc. (records extracted from Professor Trail's record books).

Fordyce and Boyndie—Mr G. D. Thomson, M.A., Kindrought.

Alvah—Miss J. A. Fraser, M.A., Linhead (collection made for the Dickie prize);
Mr G. K. Fraser, M.A., Linhead.

Forglen—Mr Stuart, Gardener, Forglen House; Mr G. K. Fraser, M.A., Linhead.

Marnoch—Mr G. K. Fraser, M.A. (collection made for the Dickie prize).

Rothiemay—Miss Jeannie Geddes, M.A.

Cabrach—Mr J. S. Burns, M.A., and Mr J. Yeats, M.A.

Inveravon—Mr Watt, Jun., M.A., B.Sc., Knockando (collection made for the Dickie prize); and Mr Laurence Watt, Glasgow.

Aberlour—Mr John White, M.A., The Orphanage, Aberlour.

Kirkmichael—Mr James J. Burgess, M.A., Dyke.

Knockando—Mr C. Watt, Senr., M.A., Knockando.

Ordiquhill—Mr A. Donald, M.A., Ordiquhill Schoolhouse.

Keith—Mr Henry (collection made for Dickie prize, records extracted from Prof. Trail's record books), and Mr G. Petrie Hay, M.A.

Mortlach—Mr Laurence Watt, Glasgow.

To these botanists my best thanks are due for their painstaking work and able assistance. It is impossible here to specify or to attempt to gauge how much the work is indebted to Professor Trail for records in every parish, which he has very generously placed at my disposal. A glance at the tabular statements will at once show that without these records the Flora would have been much less complete.

I am deeply indebted to several other botanists for generous help in the determination of critical species. Mr W. Barclay, Perth, has not only very kindly named all the specimens of the genus *Rosa*, but, being well acquainted with Banffshire, he has also written up the distribution of that genus from his own personal observation and from specimens forwarded. The Rev. E. F. Linton has determined several consignments of *Hieracia*, chief among which may be mentioned a large collection from Gamrie, which yielded several novelties for

Banffshire. All specimens of the genus *Rubus* which were sent to me, or were collected by me, have been named by Rev. W. M. Rogers.

With regard to the recent lists in the Transactions of the Banffshire Field Club, viz., that of the Boyne district by Mr Thomson, Kindrought, and that of the Banff district by myself, these may be taken to be superseded by the present list. Mr Thomson has kindly forwarded to me notes giving several additions to his previous list, a few corrections, and full notes of the parishes in which the plants were found by him.

The Rev. Dr. W. S. Bruce, of Banff, has also contributed to the Transactions several papers dealing with the Flora of Banffshire; but, unfortunately, these papers are practically useless for the present work, owing either to the localities mentioned being too vague, or to the use of local names of the plants. He records *Carex incurva* and *Senebiera Coronopus* for Banff, and *Pyrola secunda* for Alvah, plants which I have been unable to find in the districts mentioned. There is still another published list dealing with part of the district under review: a list for the Parish of Cairnie, given in Pirie's "Parish of Cairnie" (1906). As this list contains several mistakes, I prefer to omit the records contained in it, and to rely on the records of Prof. Trail for that parish.

The most difficult, though most pleasant, duty remains, to express my heartfelt thanks, however inadequately, to Mr Yeats. To him, the originator and inspirer of this Flora, has fallen the arduous task of maintaining the correspondence with the local workers which such a work involves. This from the beginning of the enterprise he has most ungrudgingly performed, sparing neither valuable time nor advice.

With regard to the old records, it is matter of regret that space does not allow of a complete list, but below is appended a list of the old records cited. So far as possible only the earliest records are given, but as they have been extracted from various sources, and as all the original authorities have not been examined by me, it is possible that there may be mistakes and omissions.

The following is a list of the contractions used for the works cited:—

- B.G. ... Dickie's "Botanist's Guide."
- N.F. ... Dr Murray's "Northern Flora."
- S.A. ... "New Statistical Account of Scotland."
- F.B. ... Professor Trail's "Flora of Buchan," including the Supplement.
- Ed. ... Tom Edward (communicated by Professor Trail).
- M. ... Marshall and Shoolbred, Kirkmichael, Journ. Bot. 1906, pp. 154-161.

RANUNCULACEÆ.

- Thalictrum minus*, Linn.—Rathven, B.G.; Cullen, B.G.
Anemone nemorosa, Linn.—King Edward, S.A.; Turriff, F.B.
A. apennina, Linn.—Rathven, S.A.
Ranunculus aquatilis, Linn.—King Edward, F.B.; Turriff, F.B.
R. fluitans, Lam.—King Edward, F.B.
R. Lenormandi, F. Schultz—Alvah, F.B.
R. hederaceus, Linn.—Turriff, F.B.
R. sceleratus, Linn.—Alvah, B.G.
R. Flammula, Linn.—Turriff, F.B.
b. radicans, Nolte—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
R. scoticus, E. S. Marshall—Kirkmichael, M.
R. acris, Linn., *b. Friesianus*, B. & F.—Turriff, F.B.
c. Borœanus, (Jord.)—Turriff, F.B.
e. rectus, (Jord.)—Turriff, F.B.
R. bulbosus, Linn.—Rathven, B.G.; Alvah, B.G.; Turriff, Skene; Mortlach, B.G.
R. Ficaria, Linn.—King Edward, F.B.; Turriff, F.B.
Caltha radicans, Forster—Kirkmichael, M.
Trollius europæus, Linn.—Alvah, B.G.

BERBERIDACEÆ.

- Berberis vulgaris*, Linn.—King Edward, F.B.

PAPAVERACEÆ.

- Papaver Rhœas*, Linn.—Alvah, F.B.
P. dubium, Linn.—Grange, S.A.
Chelidonium majus, Linn.—Mortlach, B.G.

FUMARIACEÆ.

- Corydalis claviculata*, DC.—Mortlach, B.G.
Fumaria capreolata, Linn.—Turriff, F.B.; Grange, S.A.
F. Bastardi, Bor.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
F. officinalis, Linn.—Turriff, F.B.; Grange, S.A.

CRUCIFERÆ.

- Barbarea vulgaris*, Ait.—King Edward, F.B.
Arabis petraea, Linn., *b. hispida*, DC.—Kirkmichael, M.
Cardamine amara, Linn.—Turriff, F.B.; Mortlach, B.G.
C. pratensis, Linn.—Turriff, F.B.
b. dentata, (Schultes)—Kirkmichael, M.
C. hirsuta, Linn.—Turriff, F.B.; Grange, S.A.
C. flexuosa, Linn.—King Edward, F.B.; Turriff, F.B.
Draba incana, Linn.—Boydie, Ed.; Kirkmichael, M.
D. rupestris, Br.—Kirkmichael, B.G.
Erophila verna, E. Mey.—Turriff, F.B.; Grange, S.A.

- Cochlearia alpina*, Wats.—Kirkmichael, M.
Sisymbrium Thalianum, Gay—Banff, Ed.; Alvah, B.G.; King Edward, F.B.; Kirkmichael, M.
 S. officinale, Scop.—Grange, S.A.
 S. Alliaria, Scop.—Mortlach, B.G.
Brassica alba, Boiss.—Gamrie, F.B.
Coronopus procumbens, Gilib.—Gamrie, F.B.; Banff, Bruce (v. Introd.)
Lepidium sativum, Linn.—Rathven, Ed.
 L. heterophyllum, Benth., *b. canescens*, Gren. & Godr.—Mortlach, B.G.
Thlaspi arvense, Linn.—Rathven, Ed.; Gamrie, F.B.; Alvah, B.G.; Mortlach, B.G.
Iberis amara, Linn.—Cullen, Ed.

RESEDACEÆ.

- Reseda luteola*, Linn.—Rathven, B.G.; Mortlach, B.G.
 R. odorata, Linn.—Cullen, Ed.

CISTACEÆ.

- Helianthemum Chamæcistus*, Mill.—Rathven, B.G.; Alvah, S.A.; Turriff, F.B.; Mortlach, B.G.

VIOLACEÆ.

- Viola palustris*, Linn.—King Edward, F.B.; Turriff, F.B.
 V. tricolor, Linn.—King Edward, F.B.
 V. arvensis, Murr.—Turriff, F.B.
 V. lutea, Huds., & *f. amoena*, (Symons)—Kirkmichael, M.
 V. cornuta, Linn.—Turriff, F.B.

POLYGALACEÆ.

- Polygala vulgaris*, Linn.—Kirkmichael, M.
 P. serpyllacea, Weihe—King Edward, F.B.

CARYOPHYLLACEÆ.

- Silene latifolia*, Rendle & Britten—Mortlach, B.G.
 S. anglica, Linn.—Rathven, Ed.
 S. dichotoma, Ehrh.—Kirkmichael, M.
Lychnis alba, Mill.—Mortlach, B.G.
 L. Githago, Scop.—Gamrie, F.B.; Turriff, F.B.; Grange, S.A.
Cerastium semidecandrum, Linn.—Alvah, B.G.; Grange, S.A.
 C. viscosum, Linn., *b. apetalum*, Dum.—Alvah, F.B.; King Edward, F.B.; Turriff, F.B.
 C. alpinum, Linn., *b. pubescens*, Syme—Kirkmichael, M.
 C. arvense, Linn.—Turriff, S.A.; Mortlach, B.G.
 C. cerastoides, Britton—Kirkmichael, B.G.
Stellaria nemorum, Linn.—Alvah, F.B.; Turriff, S.A.
 S. Holostea, Linn.—King Edward, F.B.
 S. uliginosa, Murr.—King Edward, F.B.; Turriff, F.B.
Arenaria trinervia, Linn.—Alvah, B.G.
 A. leptoclados, Guss.—Kirkmichael, M.
Sagina ciliata, Fr.—Gamrie, F.B.
 S. saginoides, Dalla Torre—Kirkmichael, M.
 S. subulata, Presl.—Kirkmichael, M.; Aberlour, B.G.
 S. nodosa, Fenzl.—Alvah, B.G.; Mortlach, B.G.
Spargularia rubra, Pers.—Grange, S.A.

PORTULACACEÆ.

Montia fontana, Linn.—Turriff, F.B.

HYPERICACEÆ.

Hypericum perforatum, Linn.—Alvah, S.A.; Grange, S.A.

H. *quadratum*, Stokes—Alvah, B.G.; Turriff, F.B.

H. *humifusum*, Linn.—Gamrie, F.B.; Mortlach, B.G.

H. *hirsutum*, Linn.—Kirkmichael, M.

MALVACEÆ.

Lavatera arborea, Linn.—Rathven, Ed.

Malva moschata, Linn.—Turriff, F.B.; Cairnie, P.S.

M. *sylvestris*, Linn.—Turriff, F.B.; Mortlach, B.G.

TILIACEÆ.

Tilia intermedia—Bellie, S.A.

LINACEÆ.

Radiola linoides, Roth.—Alvah, B.G.

Linum catharticum, Linn.—King Edward, F.B.

GERANIACEÆ.

Ceranium sylvaticum, Linn.—Gamrie, F.B.; King Edward, S.A.

G. *pratense*, Linn.—Cullen, S.A.; Gamrie, F.B.; King Edward, S.A.; Kirkmichael, B.G.

G. *dissectum*, Linn.—Grange, S.A.

G. *lucidum*, Linn.—Kirkmichael, M.

G. *Robertianum*, Linn.—Grange, S.A.

b. *modestum*, (Jord.)—Kirkmichael, M.

Oxalis Acetosella, Linn.—Turriff, F.B.

RHAMNACEÆ.

Rhamnus catharticus, Linn.—Alvah, B.G.

LECUMINOSÆ.

Cenista anglica, Linn.—King Edward, S.A.; Grange, S.A.

Ononis repens, Linn.—Alvah, B.G.; Aderlour, Ed.; Mortlach, B.G.

Medicago sativa, Linn.—Rathven, Ed.

M. *lupulina*, Linn.—Grange, S.A.

Melilotus alba, Desr.—Rathven, Ed.

M. *officinalis*, Lam.—Rathven, Ed.; Gamrie, F.B.

Trifolium arvense, Linn.—Boyndie, Ed.; Alvah, B.G.

T. *striatum*, Linn.—Boyndie, Ed.

T. *agrarium*, Linn.—Gamrie, F.B.

Anthyllis Vulneraria, Linn.—King Edward, F.B.

Astragalus glycyphyllos, Linn.—Boyndie, B.G.

Ornithopus perpusillus, Linn.—Alvah, B.G.

Vicia hirsuta, Gray—Alvah, B.G.

V. *sativa*, Linn.—King Edward, F.B.; Turriff, F.B.

V. *angustifolia*, Linn.—Alvah, B.G.; King Edward, F.B.; Turriff, F.B.; Grange, S.A.; Mortlach, B.G.

V. *lathyroides*, Linn.—Alvah, B.G.

Lathyrus montanus, Bernh.—King Edward, F.B.; Turriff, F.B.

b. *tenuifolius*, Roth.—Turriff, S.A.

ROSACEÆ.

- Prunus spinosa*, Linn.—King Edward, F.B.; Turriff, F.B.
P. avium, Linn.—Gamrie, F.B.; Turriff, F.B.
P. Cerasus, Linn.—Alvah, B.G.
P. Padus, Linn.—Turriff, F.B.
Spiraea salicifolia, Linn.—Gamrie, F.B.; King Edward, F.B.
Rubus plicatus, Wh. & N.—Alvah, F.B.
R. melanoxydon, Muell. & Wirtg.—Gamrie, F.B.; Turriff, F.B.
R. infestus, Weihe—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.
R. radula, Weihe—Gamrie, F.B.
R. Koehleri, Wh. & N.—Gamrie, F.B.
R. corylifolius, Sm.—Alvah, S.A.; King Edward, F.B.
R. saxatilis, Linn.—Alvah, B.G.; Turriff, F.B.
Cornus rivale, Linn.—King Edward, S.A.; Turriff, S.A.
Fragaria vesca, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.; Grange, S.A.
F. moschata, Duchesne—Alvah, Ed.; King Edward, F.B.
Potentilla sterilis, Gareke—Alvah, B.G.
P. procumbens, Sibth.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
P. palustris, Scop.—King Edward, F.B.; Turriff, F.B.
Alchemilla vulgaris, Linn., *a. pratensis*, Pohl—King Edward, F.B.; Turriff, F.B.
a. alpestris, Pohl—Turriff, F.B.
a. filicaulis, (Buser)—Kirkmichael, M.
A. alpina, Linn.—Alvah, B.G.; King Edward, S.A.; Grange, N.F.; Keith, B.G.; Mortlach, B.G.
A. arvensis, Scop.—Turriff, F.B.
Rosa pimpinellifolia, Linn.—Kirkmichael, M.
f. spinosissima, Linn.—Alvah, B.G.; Grange, S.A.; Mortlach, B.G.
R. tomentosa, Sm.—Kirkmichael, M.; Grange, S.A.
R. canina, Linn., agg.—Alvah, B.G.; Mortlach, B.G.
R. glauca, Vill., *e. subcristata*, (Baker)—Kirkmichael, M.
Agrimonia Eupatoria, Linn.—Rathven, S.A.; Banff, S.A.; Gamrie, S.A.; Alvah, B.G.; Turriff, F.B.; Inverkeithnie, B.G.
Pyrus Aria, Ehrh.—Gamrie, F.B.; King Edward, F.B.
b. rupicola, Syme—Kirkmichael, M.

SAXIFRAGACEÆ.

- Saxifraga aizoides*, Linn.—Alvah, B.G.; King Edward, S.A.; Mortlach, B.G.
S. granulata, Linn.—Rathven, B.G.
S. hypnoides, Linn.—Turriff, F.B.
Chrysosplenium alternifolium, Linn.—Gamrie, S.A.; Turriff, F.B.
Parnassia palustris, Linn.—Mortlach, B.G.
Ribes Grossularia, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
R. alpinum, Linn.—Mortlach, B.G.
R. nigrum, Linn.—Alvah, F.B.; King Edward, F.B.

CRASSULACEÆ.

- Sedum purpureum*, Tausch—Kirkmichael, M.
S. villosum, Linn.—Alvah, B.G.; Turriff, S.A.; Mortlach, B.G.

DROSERACEÆ.

- Drosera rotundifolia*, Linn.—Gamrie, F.B.; King Edward, F.B.
D. anglica, Huds.—King Edward, F.B.; Mortlach, Ed.
 × *rotundifolia*—King Edward, F.B.

HALORAGACEÆ.

Hippuris vulgaris, Linn.—Gamrie, S.A.; Turriff, F.B.; Cairnie, N.F.

Myriophyllum alterniflorum, DC.—King Edward, F.B.; Turriff, F.B.; Kirkmichael, M.

Callitriche verna, Linn., agg.—Turriff, F.B.

C. *stagnalis*, Scop.—King Edward, F.B.; Turriff, F.B.

C. *intermedia*, Hoffm.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.

ONAGRACEÆ.

Epilobium hirsutum, Linn.—Turriff, F.B.

E. *angustifolium*, Linn.—Kirkmichael, B.G.

E. *obscurum*, Schreb.—King Edward, S.A.; Turriff, F.B.

E. *parviflorum*, Schreb.—Mortlach, B.G.

E. *alsinifolium*, Vill.—Kirkmichael, B.G.

E. *anagallidifolium*, Linn.—Aberlour, B.G.

E. *hybrids*—Kirkmichael, M.

Circæa alpina, Linn.—Rathven, S.A.; Turriff, S.A.; Mortlach, B.G.

UMBELLIFERÆ.

Hydrocotyle vulgaris, Linn.—Alvah, S.A.; King Edward, F.B.; Turriff, F.B.

Sanicula europæa, Linn.—Gamrie, S.A.; Alvah, B.G.; Mortlach, B.G.

Conium maculatum, Linn.—Grange, S.A.; Mortlach, B.G.

Pimpinella Saxifraga, Linn.—Alvah, B.G.

Chærophyltum temulum, Linn.—Alvah, B.G.

Scandix Pecten-Veneris, Linn.—Alvah, B.G.; Mortlach, B.G.

Anthriscus vulgaris, Bernh.—Rathven, Ed.

Meum Athamanticum, Jacq.—Kirkmichael, M.

Peucedanum sativum, Benth. & Hook. f.—Gamrie, F.B.

Caucalis Anthriscus, Huds.—Mortlach, B.G.

CAPRIFOLIACEÆ.

Adoxa Moschatellina, Linn.—Rathven, B.G.; Cullen, S.A.; Boyndie, Ed.; King Edward, S.A.; Mortlach, B.G.

Sambucus Ebulus, Linn.—Mortlach, B.G.

Linnæa borealis, Linn.—Bellie, S.A.; Rathven, B.G.; King Edward, S.A.; Turriff, S.A.; Grange, Ed.; Mortlach, B.G.

RUBIACEÆ.

Galium boreale, Linn.—Alvah, B.G.; Mortlach, B.G.

G. *Cruciata*, Scop.—Keith, B.G.—Professor Trail has informed me that this is a wrong identification, the plant being a species of *Asperula*.

G. *Mollugo*, Linn.—Gamrie, F.B.; Alvah, B.G.; Grange, Ed.

G. *asperum*, Schreb.—Gamrie, F.B.

G. *palustre*, Linn.—King Edward, F.B.; Turriff, F.B.

G. *uliginosum*, Linn.—Alvah, B.G.; Turriff, F.B.; Kirkmichael, M.; Grange, S.A.

Asperula odorata, Linn.—Bellie, S.A.; Boyndie, Ed.; Gamrie, F.B.; Alvah, B.G.; Turriff, S.A.; Kirkmichael, M.; Mortlach, B.G.

Sherardia arvensis, Linn.—Turriff, F.B.; Grange, S.A.

VALERIANACEÆ.

Valeriana sambucifolia, Mikan.—King Edward, F.B.

V. *pyrenaica*, Linn.—Gamrie, F.B.

Valerianella olitoria, Poll.—Alvah, B.G.; Keith, B.G.

V. *dentata*, Poll.—Alvah, F.B.

COMPOSITÆ.

- Eupatorium cannabinum*, Linn.—Gamrie, S.A.
Solidago Virgaurea, Linn.—King Edward, S.A.
Erigeron acro, Linn.—Kirkmichael, M.
Filago germanica, Linn.—Gamrie, F.B.; Alvah, B.G.
 F. minima, Fr.—King Edward, F.B.; Mortlach, B.G.
Antennaria dioica, Gaertn.—Mortlach, B.G.
Gnaphalium uliginosum, Linn.—Turriff, F.B.
 G. sylvaticum, Linn.—Turriff, F.B.; Grange, S.A.; Mortlach, B.G.
Bidens cernua, Linn.—Alvah, B.G.
Achillea tomentosa, Linn.—Boharm, B.G.
Chrysanthemum segetum, Linn.—Turriff, F.B.; Grange, S.A.
 C. Parthenium, Bernh.—Gamrie, F.B.; Turriff, F.B.
Matricaria inodora, Linn.—Turriff, F.B.
Tanacetum vulgare, Linn.—King Edward, F.B.; Turriff, F.B.; Mortlach, B.G.
Artemisia vulgaris, Linn.—King Edward, F.B.; Grange, S.A.
Petasites ovatus, Hill—Gamrie, F.B.; King Edward, F.B.
Doronicum plantagineum, Linn.—Banff, Ed.
Senecio sylvaticus, Linn.—Grange, S.A.; Turriff, F.B.
Arctium spp.—Alvah, B.G.; Grange, S.A.
Cnicus heterophyllus, Willd.—Mortlach, B.G.
Saussurea alpina, Linn.—Kirkmichael, M.
Centaurea Cyanus, Linn.—Alvah, B.G.; Grange, S.A.; Mortlach, B.G.
Cichorium Intybus, Linn.—Inverkeithnie, B.G.
Crepis mollis, Aschers.—Kirkmichael, M.
Hieracium Pilosella, Linn., *c. nigrescens*, Fr., *d. concinnum*, F. J. Hanb.; *H. anglicum*, Fr. & *b. acutifolium*, Backh.; *H. iricum*, Fr.; *H. holosericeum*, Backh.; *H. eximium*, Backh., *b. tenellum*, Backh.; *H. gracilentum*, Backh.; *H. petiolatum*, Elfstrand; *H. lingulatum*, Backh.; *H. chrysanthum*, Backh.; *H. nigrescens*, Willd., *c. gracilifolium*, F. J. Hanb.; *H. Schmidtii*, Tausch, & *c. crinigerum*, Fr.; *H. argenteum*, Fr.; *H. Sommerfeltii*, Lindeb.; *H. pseudonosmoides*, Dahlst.; *H. silvaticum*, Gouan, f. *prolixum*, Dahlst.; *H. varicolor*, Dahlst.; *H. serratifrons*, Almq., *b. Stenstroemii*, Dahlst.; *H. euprepes*, F. J. Hanb., *c. clivicolum*, F. J. Hanb.; *H. angustatum*, Lindeb., *b. elatum*, Lindeb.; *H. corymbosum*, Fr.; *H. auratum*, Fr.—Kirkmichael, M.
H. aurantiacum, Linn.—Turriff, B.G.
H. murorum, Linn.—Gamrie, F.B.
H. cæsius, Fr.—Banff, J. Roy (comm. Prof. Trail).
H. vulgatum, Fr.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
H. boreale, Fr.—Alvah, B.G.
Taraxacum palustre, DC.—Alvah, B.G.
Sonchus oleraceus, Linn.—Turriff, F.B.; Grange, S.A.
 S. asper, Hill—Turriff, F.B.
 S. arvensis, Linn.—Turriff, F.B.

CAMPANULACEÆ.

- Campanula latifolia*, Linn.—Rathven, S.A.; Cullen, B.G.; Turriff, S.A.

VACCINIACEÆ.

- Vaccinium Vitis-Idæa*, Linn.—Rathven, S.A.; Cullen, B.G.; Banff, Ed.; Alvah, B.G.; Turriff, F.B.
Oxycoccus quadripetala, Gilib.—Rathven, S.A.

ERICACEÆ.

Erica Tetralix, Linn.—King Edward, F.B.

Azalea procumbens, Linn.—Mortlach, B.G.

Pyrola media, Sw.—Alvah, B.G.; Turriff, S.A.; Mortlach, B.G.

P. rotundifolia, Linn.—Turriff, B.G.

P. minor, Linn.—Turriff, S.A.; Mortlach, B.G.

P. secunda, Linn.—Turriff, S.A.; Rothiemay, B.G.; Mortlach, B.G.; Alvah, Bruce (v. Introd.)

Moneses uniflora, A. Gray—Rothiemay, B.G.; Mortlach, B.G.

PRIMULACEÆ.

Primula vulgaris, Huds.—King Edward, F.B.; Turriff, F.B.; Grange, S.A.

P. veris, Linn.—Gamrie, B.G.

P. elatior, Jacq.—Alvah, B.G.

Lysimachia nemorum, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, S.A.; Grange, S.A.

Trientalis europæa, Linn.—Cullen, B.G.; Gamrie, F.B.; Turriff, S.A.

Anagallis arvensis, Linn.—Alvah, B.G.

A. tenella, Murr.—Alvah, B.G.; Mortlach, B.G.

APOCYNACEÆ.

Vinca minor, Linn.—King Edward, S.A.

GENTIANACEÆ.

Gentiana Amarella, Linn.—Boyndie, Ed.

G. baltica, Murb.—Gamrie, F.B.

Menyanthes trifoliata, Linn.—Turriff, F.B.; Grange, S.A.

Nymphoides peltatum, Rendle & Britten—Turriff, F.B.

BORAGINACEÆ.

Cynoglossum officinale, Linn.—Boyndie, B.G.

Symphytum peregrinum, Ledeb.—Gamrie, F.B.; Turriff, F.B.

Anchusa sempervirens, Linn.—Mortlach, B.G.

Borago officinalis, Linn.—Bathven, B.G.; Cullen, S.A.

Lycopsis arvensis, Linn.—Turriff, F.B.; Grange, S.A.

Mertensia maritima, Gray—Banff, S.A.

Myosotis cespitosa, Schultz—King Edward, F.B.; Turriff, F.B.

M. scorpioides, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.

b. strigulosa, (Reichb.)—Kirkmichael, M.

M. sylvatica, Hoffm.—Alvah, F.B.

M. collina, Hoffm.—Banff, B.G.; Gamrie, S.A.; Alvah, B.G.

M. versicolor, Sm.—King Edward, F.B.; Turriff, F.B.

Lithospermum arvense, Linn.—Alvah, B.G.; Mortlach, B.G.

Echium vulgare, Linn.—Alvah, B.G.; Mortlach, B.G.

SOLANACEÆ.

Solanum Dulcamara, Linn.—Gamrie, N.F.

S. nigrum, Linn.—Boyndie, Ed.

SCROPHULARIACEÆ.

Linaria vulgaris, Mill.—Bathven, Ed.; Gamrie, F.B.; Mortlach, B.G.

Scrophularia nodosa, Linn.—Mortlach, B.G.

- Mimulus guttatus*, Linn.—Kirkmichael, M.
Veronica hederifolia, Linn.—King Edward, F.B.; Grange, S.A.
 V. didyma, Ten.—Turriff, F.B.
 V. agrestis, Linn.—King Edward, F.B.; Turriff, F.B.
 V. Tournefortii, C. Gmel.—Turriff, F.B.
 V. arvensis, Linn.—King Edward, F.B.
 V. serpyllifolia, Linn., *b. tenella*, All.—Kirkmichael, M.
 V. alpina, Linn.—Kirkmichael, M.
 V. montana, Linn.—Bellie, N.F.; Gamrie, S.A.
 V. scutellata, Linn.—Turriff, F.B.; Mortlach, B.G.
 b. hirsuta, Weber.—Alvah, B.G.
 V. Anagallis-aquatica, Linn.—King Edward, B.G.
Euphrasia brevipila, Burnat & Gremlé—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
 E. borealis, Towns.—Gamrie, F.B.; King Edward, F.B.
 E. gracilis, Fr.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
 E. scottica, Wettst.—Gamrie, F.B.
 E. curta, Wettst.—Gamrie, F.B.
Pedicularis palustris, Linn.—King Edward, F.B.; Turriff, F.B.
 P. sylvatica, Linn.—King Edward, F.B.; Turriff, F.B.
Rhinanthus major, Ehrh., *c. apterus*, Fr.—Kirkmichael, M.
 R. borealis, Druce—Kirkmichael, M.
Melampyrum pratense, Linn.—Alvah, B.G.; Turriff, S.A.
 d. montanum, Johnst.—Kirkmichael, M.
 e. hians, Druce—Kirkmichael, M.

LENTIBULARIACEÆ.

- Utricularia minor*, Linn.—Alvah, S.A.; Turriff, F.B.
 U. intermedia, Hayne—Turriff, F.B.
Pinguicula vulgaris, Linn.—King Edward, F.B.; Turriff, F.B.

LABIATÆ.

- Mentha alopecuroides*, Hull—Kirkmichael, M.
 M. piperita, Linn.—King Edward, F.B.; Turriff, F.B.
 M. aquatica, Linn., *a. hirsuta*, (Huds.)—King Edward, F.B.; Turriff, F.B.; Kirkmichael, M.; Grange, S.A.
 M. arvensis, Linn.—Turriff, F.B.
 M. paludosa, Sole—King Edward, F.B.
Thymus Serpyllum, Linn.—Alvah, F.B.; Turriff, F.B.; Forglen, S.A.
Clinopodium vulgare, Linn.—Kirkmichael, M.
Nepeta hederacea, Trev.—Grange, S.A.
Scutellaria galericulata, Linn.—Mortlach, B.G.
Marrubium vulgare, Linn.—Rothiemay, Ed.
Stachys palustris, Linn.—Gamrie, F.B.; Turriff, F.B.
 S. arvensis, Linn.—Alvah, B.G.; King Edward, F.B.; Mortlach, B.G.
Caleopsis speciosa, Mill.—Kirkmichael, M.; Mortlach, B.G.
Lamium amplexicaule, Linn.—Alvah, B.G.; King Edward, F.B.; Turriff, F.B.; Grange, S.A.
 L. maculatum, Linn.—Rathven, S.A.; King Edward, F.B.; Turriff, F.B.
 L. album, Linn.—King Edward, F.B.
Teucrium Scorodonia, Linn.—Gamrie, F.B.; Turriff, F.B.
Ajuga reptans, Linn.—King Edward, F.B.; Turriff, F.B.

PLANTAGINACEÆ.*Plantago maritima*, Linn.—Mortlach, B.G.*Littorella uniflora*, Ashcers.—Alvah, B.G.**ILLECEBRACEÆ.***Scleranthus annuus*, Linn.—Avah, B.G.; Turriff, F.B.; Grange, S.A.; Mortlach, B.G.**CHENOPODIACEÆ.***Chenopodium album*, Linn.—Turriff, F.B.*C. Bonus-Henricus*, Linn.—Gamrie, F.B.; Alvah, B.G.; Turriff, F.B.; Inverkeithnie, B.G.; Mortlach, B.G.*Atriplex patula*, Linn.—Turriff, F.B.*b. erecta* (Huds.)—Gamrie, F.B.; King Edward, F.B.*Salsola Kali*, Linn.—Cullen, S.A.**POLYGONACEÆ.***Polygonum Hydropiper*, Linn.—Gamrie, F.B.*P. lapathifolium*, Linn.—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Turriff, F.B.*P. amphibium*, Linn.—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Grange, S.A.; Mortlach, B.G.*P. Bistorta*, Linn.—Boyndie, Ed.; Kirkmichael, M.*P. viviparum*, Linn.—Banff, S.A.; Alvah, B.G.; Turriff, S.A.; Mortlach, B.G.*Oxyria digyna*, Hill.—Mortlach, B.G.*Rumex sanguineus*, Linn., *b. viridis*, (Sibth.)—Gamrie, S.A.*R. Hydrolapathum*, Huds.—Gamrie, S.A.*R. alpinus*, Linn.—Turriff, F.B.*R. crispus*, Linn. × *obtusifolius*—Alvah, F.B.; King Edward, F.B.; Turriff, F.B.*R. domesticus*, Hartm. × *obtusifolius*—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Turriff, F.B.**EUPHORBIACEÆ.***Euphorbia Helioscopia*, Linn.—Turriff, F.B.*E. exigua*, Linn.—Boyndie, B.G.*Mercurialis perennis* Linn.—Grange, S.A.**URTICACEÆ.***Humulus Lupulus*, Linn.—Turriff, F.B.*Urtica dioica*, Linn., *b. angustifolia*, Wimm. & Grab.—Alvah, F.B.*U. urens*, Linn.—Turriff, F.B.; Grange, S.A.*Cannabis sativa*, Linn.—Banff, Ed.**MYRICACEÆ.***Myrica Gale*, Linn.—Alvah, B.G.; Marnoch, B.G.**CUPULIFERÆ.***Betula alba*, Linn.—Gamrie, F.B.; King Edward, F.B.*B. tomentosa*, Reith & Abel—Gamrie, F.B.*B. nana*, Linn.—Kirkmichael, B.G.*Alnus rotundifolia*, Mill.—Gamrie, F.B.*Corylus Avellana*, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.; Grange, S.A.

Quercus Robur, Linn.—Rathven, S.A.; Deskford, S.A.; Grange, S.A.

a. pedunculata, (Ehrh.)—Turriff, F.B.

Castanea sativa, Mill.—Alvah, F.B.; Turriff, F.B.

SALICACEÆ.

Salix pentandra, Linn.—Alvah, B.G.

S. fragilis, Linn.—King Edward, F.B.; Turriff, F.B.

S. alba, Linn.—King Edward, F.B.; Turriff, F.B.

S. purpurea, Linn.—Alvah, F.B.; King Edward, F.B.

S. viminalis, Linn.—Alvah, F.B.; King Edward, F.B.; Turriff, F.B.

S. caprea, Linn.—Gamrie, F.B.; Turriff, F.B.

 × *phylicifolia*, Sm.—Kirkmichael, M.

S. aurita, Linn.—Gamrie, F.B.; Alvah, B.G.; King Edward, F.B.; Turriff, F.B.

 × *phylicifolia*, Sm.—Kirkmichael, M.

S. cinerea, Linn.—Turriff, F.B.

S. repens, Linn.—Turriff, F.B.

Populus tremula, Linn.—King Edward, F.B. (?)

P. nigra, Linn.—Turriff, F.B.

EMPETRACEÆ.

Empetrum nigrum, Linn.—King Edward, F.B.; Turriff, F.B.

CONIFERÆ.

Juniperus communis, Linn.—Cullen, B.G.; Alvah, B.G.

Larix europæa, DC.—Bellie, S.A.; Boyndie, S.A.

HYDROCHARIDACEÆ.

Elodea canadensis, Michx.—King Edward, F.B.

ORCHIDACEÆ.

Listera cordata, Br.—Turriff, S.A.; Mortlach, B.G.

L. ovata, Br.—Boharm, Ed.

Coodyera repens, Br.—Turriff, S.A.; Mortlach, B.G.

Helleborine atrorubens, Druce—Kirkmichael, M.

Orchis mascula, Linn.—Alvah, B.G.

O. latifolia, Linn.—Turriff, Skene; Kirkmichael, M.

O. maculata, Linn.—King Edward, F.B.

 × *latifolia*—Kirkmichael, M.

Habenaria conopsea, Benth.—Turriff, S.A.

H. albida, Br.—Alvah, B.G.

H. viridis, Br.—Alvah, B.G.; Mortlach, B.G.

IRIDACEÆ.

Iris Pseudacorus, Linn.—Cullen, S.A.; King Edward, F.B.; Turriff, F.B.

AMARYLLIDACEÆ.

Narcissus Pseudo-Narcissus, Linn.—Boyndie, Ed.

LILIACEÆ.

Allium oleraceum, Linn.—Kirkmichael, M.

Scilla verna, Huds.—Rathven, S.A.

S. non-scripta, Hoffm. & Link.—Rathven, S.A.; Boyndie, Ed.; King Edward, S.A.

Ornithogalum umbellatum, Linn.—Banff, Ed.

Narthecium ossifragum, Huds.—King Edward, F.B.; Turriff, F.B.

Tofieldia palustris, Huds.—Kirkmichael, M.

JUNCACEÆ.

Juncus squarrosus, Linn.—King Edward, F.B.

J. maritimus, Linn.—Rathven, Ed.; Boyndie, Ed.

J. bulbosus, Linn.—Alvah, F.B.; King Edward, F.B.; Turriff, F.B.

J. articulatus, Linn.—King Edward, F.B.

J. sylvaticus, Reich.—Turriff, F.B.

J. biglumis, Linn.—Kirkmichael, B.G.

J. triglumis, Linn.—Kirkmichael, M.

Luzula pilosa, Willd.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.

L. spicata, DC.—Mortlach, B.G.

L. campestris, DC.—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Turriff, F.B.;
Grange, S.A.

L. multiflora, DC., a. *umbellata*—King Edward, F.B.; Turriff, F.B.

b. *congesta*—Turriff, F.B.

TYPHACEÆ.

Typha latifolia, Linn.—Turriff, F.B.

Sparganium erectum, Linn.—Gamrie, F.B.

S. simplex, Huds.—Alvah, B.G.

S. affine, Schnizl.—Alvah, B.G.

S. minimum, Fr.—Turriff, F.B.

ARACEÆ.

Arum maculatum, Linn.—Rathven, Ed.

LEMNACEÆ.

Lemna minor, Linn.—Alvah, B.G.

L. trisulca, Linn.—Mortlach, B.G.

ALISMACEÆ.

Alisma Plantago-aquatica, Linn.—Alvah, B.G.; King Edward, S.A.; Mortlach, B.G.

NAIADACEÆ.

Triglochin palustre, Linn.—Turriff, F.B.

Potamogeton natans, Linn.—Gamrie, F.B.; Alvah, F.B.; Turriff, F.B.

P. polygonifolius, Pourr.—Turriff, F.B.

P. alpinus, Balb.—Alvah, B.G.; Turriff, S.A.; Kirkmichael, M.

P. lanceolatus, Sm.—Alvah, B.G.; Mortlach, B.G.

P. lucens, Linn.—Alvah, B.G.; Turriff, S.A.

P. perfoliatus, Sm.—King Edward, B.G.; Mortlach, B.G.

P. crispus, Linn.—Turriff, S.A.

P. pusillus, Linn.—Alvah, B.G.

Ruppia rostellata, Koch—Banff, Ed., ex B.G.

CYPERACEÆ.

- Eleocharis palustris*, Roem. & Schult.—King Edward, F.B.
Scirpus cæspitosus, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.
S. setaceus, Linn.—Alvah, B.G.; Mortlach, B.G.
S. Tabernaemontani, Gmel.—Bellie, Ed.; Rathven, Ed.
S. sylvaticus, Linn.—Alvah, B.G.
S. rufus, Schrad.—Banff, B.G.
Eriophorum vaginatum, Linn.—King Edward, F.B.
E. angustifolium, Roth.—King Edward, F.B.; Turriff, F.B.
Rhynchospora alba, Vahl—King Edward, B.G.; Mortlach, B.G.
Schoenus nigricans, Linn.—Mortlach, B.G.
Carex dioica, Linn.—Alvah, B.G.
C. incurva, Lightf.—Banff, Bruce (v. Introd.)
C. pulcaris, Linn.—Alvah, B.G.; King Edward, F.B.; Turriff, F.B.
C. pauciflora, Lightf.—Kirkmichael, M.
C. Boeninghausiana, Weihe—Bellie, B.G.
C. echinata, Murr.—King Edward, F.B.; Turriff, F.B.
C. curta, Good.—King Edward, F.B.
b. alpicola, Wahl.—Alvah, B.G.
C. leporina, Linn.—Turriff, F.B.
C. atrata, Linn.—Kirkmichael, M.
C. rigida, Good.—Mortlach, B.G.
C. aquatilis, Wahl.—Turriff, F.B.
C. Goodenowii, Gay—King Edward, F.B.; Turriff, F.B.
C. flacca, Schreb.—King Edward, F.B.; Turriff, F.B.
C. rariflora, Smith—Kirkmichael, B.G.
C. caryophyllea, Latourr.—Turriff, S.A.; Kirkmichael, M.
C. pallescens, Linn.—Kirkmichael, M.
C. panicea, Linn.—King Edward, F.B.; Turriff, F.B.
C. capillaris, Linn.—Kirkmichael, M.
C. pendula, Huds.—Gamrie, B.G.; Turriff, S.A.
C. sylvatica, Huds.—Kirkmichael, M.
C. binervis, Sm.—Gamrie, F.B.; King Edward, F.B.
C. fulva, Host—Gamrie, F.B.; King Edward, F.B.; Kirkmichael, M.
C. extensa, Good.—Gamrie, B.G.
C. flava, Linn.—King Edward, F.B.; Turriff, F.B.
b. lepidocarpa, (Tausch.)—Kirkmichael, M.
× fulva—Kirkmichael, M.
C. Oederi, Retz., *d. œdocarpa*, And.—Kirkmichael, M.
C. xanthocarpa—Gamrie.
C. hirta, Linn.—Gamrie, S.A.
C. acutiformis, Ehrh.—Mortlach, B.G.
C. inflata, Huds.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.

GRAMINEÆ.

- Phalaris arundinacea*, Linn.—Kirkmichael, M.
Milium effusum, Linn.—Fordyce, Ed.
Phleum pratense, Linn., *b. nodosum*, (Linn.)—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Turriff, F.B.
P. arenarium, Linn.—Banff, N.F.
Agrostis canina, Linn.—Gamrie, F.B.; King Edward, F.B.; Turriff, F.B.

- A. alba*, Linn.—Turrieff, F.B.
b. stolonifera, (Linn.)—Gamrie, F.B.; King Edward, F.B.; Turrieff, F.B.
d. coarctata, Hoffm.—Kirkmichael, M.
- A. pumila*, Linn.—King Edward, F.B.; Turrieff, F.B.; Cabrach, B.G.
- Deschampsia alpina*, Roem. & Schult.—Kirkmichael, M.
- Holcus mollis*, Linn.—Alvah, F.B.; Turrieff, F.B.
- Avena pubescens*, Huds.—Mortlach, B.G.
- A. pratensis*, Linn.—Cullen, N.F.; Mortlach, B.G.
b. alpina, Smith—Kirkmichael, B.G.
c. longifolia, Parn.—Kirkmichael, M.
- A. strigosa*, Schreb.—Gamrie, F.B.; King Edward, F.B.
- A. fatua*, Linn.—Grange, S.A.
- Sieglingia decumbens*, Bernh.—King Edward, F.B.; Turrieff, F.B.
- Phragmites communis*, Trin.—Alvah, B.G.
- Koeleria gracilis*, Pers.—Alvah, B.G.; Grange, S.A.; Mortlach, B.G.
c. britannica, Domin—Kirkmichael, M.
- Molinia caerulea*, Moench.—Alvah, B.G.; Turrieff, F.B.
- Melica nutans*, Linn.—Kirkmichael, M.; Keith, B.G.
- Briza media*, Linn.—Alvah, B.G.
- Poa alpina*, Linn.—Kirkmichael, M.
- P. nemoralis*, Linn.—Turrieff, F.B.
d. divaricata, Syme—Kirkmichael, M.
- P. pratensis*, Linn.—King Edward, F.B.
- P. trivialis*, Linn.—Turrieff, F.B.
- Glyceria aquatica*, Wahlb.—Alvah, F.B.; King Edward, F.B.; Turrieff, F.B.
- G. declinata*, Bréb.—Kirkmichael, M.
- Festuca bromoides*, Linn.—Turrieff, F.B.
- F. ovina*, Linn.—King Edward, F.B.
- F. rubra*, Linn.—Alvah, F.B.; King Edward, F.B.
- F. sylvatica*, Vill.—Keith, N.F.
- F. pratensis*, Huds.—Alvah, F.B.
- F. elatior*, Linn.—Gamrie, F.B.; Alvah, B.G.; Turrieff, F.B.; Mortlach, B.G.
- Bromus giganteus*, Linn.—Boyndie, B.G.; Gamrie, F.B.; Alvah, F.B.; Keith, N.F.
- B. ramosus*, Huds.—Gamrie, F.B.; Alvah, S.A.
- B. sterilis*, Linn.—Banff, N.F.; Alvah, B.G.; Mortlach, B.G.
- B. secalinus*, Linn.—Mortlach, Ed.
- B. commutatus*, Schrad.—Gamrie, F.B.; Alvah, F.B.; King Edward, F.B.; Turrieff, F.B.
- B. hordeaceus*, Linn.—King Edward, F.B.; Turrieff, F.B.
- Brachypodium sylvaticum*, Roem. & Schult.—Alvah, B.G.; King Edward, F.B.; Keith, N.F.
- Agropyron caninum*, Beauv.—Turrieff, F.B.; Kirkmichael, M.
- A. repens*, Beauv., *b. Leersianum*, Gray—Gamrie, F.B.; King Edward, F.B.; Turrieff, F.B.
- Nardus stricta*, Linn.—King Edward, F.B.; Turrieff, F.B.

FILICES.

- Asplenium Adiantum-nigrum*, Linn.—Banff, Ed.; Alvah, B.G.; Mortlach, B.G.
- A. Trichomanes*, Linn.—Gamrie, F.B.; Mortlach, B.G.
- A. Ruta-muraria*, Linn.—Banff.
- Athyrium Filix-fœmina*, Roth—King Edward, F.B.
- Phyllitis Scolopendrium*, Newm.—Gamrie, S.A.; Turrieff, B.G.
- Cystopteris fragilis*, Bernh.—Gamrie, B.G.; Alvah, B.G.; Turrieff, S.A.; Mortlach, B.G.
b. dentata, Hook.—Kirkmichael, M.; Mortlach, B.G.
- Polystichum lobatum*, Presl.—Gamrie, F.B.; Turrieff, B.G.

Lastrea spinulosa, Presl.—Kirkmichael, M.

Polypodium vulgare, Linn.—Turriff, F.B.

Phlegopteris Dryopteris, Fée—Gamrie, F.B.; Turriff, S.A.

P. polypodioides, Fée—Gamrie, F.B.; Alvah, B.G.; King Edward, B.G.

Ophioglossum vulgatum, Linn.—Gamrie (Flora of Buchan, by Mr R. Walker).

Botrychium Lunaria, Sw.—Fordyce, Ed.; Mortlach, B.G.

EQUISETACEÆ.

Equisetum sylvaticum, Linn.—Turriff, F.B.

E. palustre, Linn.—Alvah, F.B.; Turriff, F.B.

E. limosum, Linn.—Turriff, F.B.

LYCOPODIACEÆ.

Lycopodium annotinum, Linn.—Fordyce, Ed.; Kirkmichael, M.; Aberlour, B.G.

L. clavatum, Linn.—Gamrie, F.B.

L. alpinum, Linn.—Alvah, B.G.

b. decipiens, Syme—Kirkmichael, M.

CHARACEÆ.

Nitella opaca, Agardh—Kirkmichael, M.

Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.		
!	x	*	x	x	!	*	!	!	!	!	!	x	x		Local on sand dunes along coast
								!			*				Local.
!	x														Common in R. Deveron.
!	x	*		*	*	*	x	!	*	!	*	x	x		{ Common in ditches and shallow water.
!	x	*	x	x	*	*	!	!	!	!	x	x	x		Common.
			x	x	x						x	x	x		
			0												Appears to be very rare.
!	x	*		*	!	*	!	!	!	!	!	x	x		Common.
!	x	x	x	x				!	x	x	x	x	x		
x	x	x	x	x				!	x	x	x	x	x		
	x								!			x			
!	x	*	x	x	!	*	!	!	!	!	!	x			Common.
*		*	x		*	*			!				0		{ On sandy coasts and dry inland banks.
		*		*	*	*	!		*		*		*		Common.
!	x	*	x	x	!	*	!	!	!	!	!	x	x		Common.
		*?	x												
	x		0							x	x	x	x		

Cairnie.	Cabraeh.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
x	*		*	*	*					*		x	
				*				!					{ Well established in Duff House Policies.
				*				!					A garden escape.
				*		!				x			A garden escape.
													Often planted in hedges.
													Planted?
													Planted?
										x			Casual.
							!		0	x		x	Colonist.
	*		*				!						Colonist.
												0	Often planted.
				*	*							0	
				x	x		!		0				Colonist.
			*	*	*	x	!	*	0	*		x	Colonist.
													Colonist.
													On old walls.
x	*		*	*	*	!	!	!	!	!	x	x	Locally common.

CRUCIFERÆ—Contd.

			Bellie	Bathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
Barbarea vulgaris, Ait.	1	!		x	*	!	!		!	0	x	!		
Arabis petraea, Lam.	2													
b. hispida, DC.	3													
<i>A. alpina</i> , Linn.	4								*					
<i>A. hirsuta</i> , Scop.	5			x	!				*					
Cardamine amara, Linn.	6				!	!	!	!	!	!	0	*		
<i>C. lilacina</i> , F. B. White	7			x										
<i>C. pratensis</i> , Linn.	8	!	!	!	*	!	!	!	!	!	0	!	*	
b. dentata, (Schultes)	9													
<i>C. hirsuta</i> , Linn.	10	!			*	*	!				0	*		
<i>C. flexuosa</i> , With.	11	!			!	!	!	!	!	!	0	0	!	x
<i>Malcolmia africana</i> , R. Br.	12													
<i>M. maritima</i> , R. Br.	13													
<i>Draba incana</i> , Linn.	14						0							
<i>D. rupestris</i> , Br.	15													
<i>Erophila verna</i> , E. Meyer	16		!		*	!	!	!	*	!	0			
<i>Cochlearia officinalis</i> , Linn.	17	!	!	!	!	!	!	!						
<i>C. alpina</i> , Wats.	18													
<i>C. danica</i> , Linn.	19						?		?					
<i>Hesperis matronalis</i> , Linn.	20							!			!			
<i>Sisymbrium Thalianum</i> , Gay	21							0	!	0	0			
<i>S. officinale</i> , Scop.	22	!		!	!	!	!	!	!		!	!		
<i>S. Alliaria</i> , Scop.	23			!					!	!			*	

CARYOPHYLLACEAE—Contd.

					Bellie.	Rathven.	Cullen.	Fordey.	Boyndie.	Banff.	Gamrie.	Alvah	King Edward.	Turriff.	Forglen.	Marnoch.	Inverkeithing.
<i>Lychnis alba</i> , Müll.	1	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>L. dioica</i> , Linn.	2	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>L. Flos-cuculi</i> , Linn.	3	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>L. Githago</i> , Scop.	4	!	!	!	!	!	!	!	!	!	0	*	!	0	*	*	*
<i>Cerastium tetrandrum</i> , Curt.	5							x	!	!							
<i>C. semidecandrum</i> , Linn.	6		!	!	x	!	!	!	!	!	!	0					
<i>C. viscosum</i> , Linn.	7	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>b. apetalum</i> , (Dum.)	8											0	0	0		x	
<i>C. vulgatum</i> , Linn.	9	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>C. alpinum</i> , Linn.	10																
<i>b. pubescens</i> , Syme	11																
<i>C. arvense</i> , Linn.	12	x		*								!		0			
<i>C. cerastoides</i> , Britton.	13																
<i>Stellaria nemorum</i> , Linn.	14											0		0	!		
<i>S. media</i> , Vill.	15	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>S. neglecta</i> , Weihe	16									?							
<i>S. Holostea</i> , Linn.	17	!	!	!	*	!	!	!	!	!	!	!	0	!	!	!	x
<i>S. graminea</i> , Linn.	18	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>S. uliginosa</i> , Murr.	19	!	!	!	!	!	!	!	!	!	!	!	0	0	!	!	x
<i>Arenaria verna</i> , Linn.	20																
<i>A. trinervia</i> , Linn.	21	!										0					
<i>A. serpyllifolia</i> , Linn.	22	!	!		!	!		!	!		!						
<i>A. leptoclados</i> , Guss.	23																
<i>A. peploides</i> , Linn.	24				!	!	!	!	!	!	!						

[illegible]

		Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglie.	Marnoch.	Inverkeithnie.
CARTOPHYLLACEAE—Contd.														
<i>Sagina maritima</i> , Don	1	!	!	x	!	!	!	!						
<i>S. ciliata</i> , Fr.	2						x	0						
<i>S. procumbens</i> , Linn.	3	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>S. saginoides</i> , Dalla Torre	4													
<i>S. subulata</i> , Presl.	5						!							
<i>S. nodosa</i> , Fenzl.	6	!	!		!	!	!	0						
<i>Spergula arvensis</i> , Linn.	7						!							
<i>S. sativa</i> , Boenn....	8	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>Spergularia rubra</i> , Pers.	9	!		*			!	!	!	!		*		
<i>S. salina</i> , Presl.	10		0											
<i>b. media</i>	11		x		x	!		!						
<i>c. neglecta</i> , (Syme)	12			x	!	!	!	!						
PORTULACACEAE.														
<i>Claytonia sibirica</i> , Linn.	13													dry
<i>C. perfoliata</i> , Donn.	14													
<i>Montia fontana</i> , Linn.	15	!			!		!	!	!	!	0	*	*	
HYPERICACEAE.														
<i>Hypericum perforatum</i> , Linn.	16				*		!	x	0			x		
<i>H. maculatum</i> , Crantz	17													
<i>H. quadratum</i> , Stokes	18				!	!	!	!	0		0			x
<i>H. humifusum</i> , Linn.	19		!		!		!	0	!			*	*	
<i>H. pulchrum</i> , Linn.	20	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>H. hirtum</i> , Linn.	21				*	*	!		!		!	!	!	

Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
!	*	*	x	x	!	*	!	!	!	!	!	x	x	Coasts.
			0											Coasts, rare.
			0		0									Everywhere common.
		dry	x		x					!	x		0	Rare.
						x								Local on wet links and moors.
!	x	*	x	x	!	*	!	!	!	!	!	x	x	Rare, Colonist.
					x	x	x			0				Common, Colonist.
				*										Alien.
		*			*	*								Alien.
	x	*	x	x	*	*	!		!		x	x	x	
		*			*					0				Local, rare.
!	x			*	!	*		!			!			Not common.
x								!					0	Local, rare.
!	*	*	x	x	!	*	!	!	!	!	!	x	x	Common.
dry		dry	0		!	*	x	!			!		x	Locally common.

					Belle.	Rathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.	Inverkeithnie.
GERANIACEAE—Contd.																	
<i>I. parviflora</i> , DC.	1	x															
<i>Limnanthes Douglasii</i> , R. Br.	2											*					
AQUIFOLIACEAE.																	
<i>Ilex Aquifolium</i> , Linn.	3	!	!	!					!		!				!	*	
CELASTRACEAE.																	
<i>Euonymus europæus</i> , Linn.	4														*		
RHAMNACEAE.																	
<i>Rhamnus catharticus</i> , Linn.	5											0			*		
ACERACEAE.																	
<i>Acer Pseudo-platanus</i> , Linn.	6	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>A. campestre</i> , Linn.	7			!							!				*		
<i>A. platanoides</i> , Linn.	8		!	!					!	!	!			x	x		
<i>Æsculus Hippocastanum</i> , Linn.	9	!	!	!	!				!		!			x	!		x
LEGUMINOSAE.																	
<i>Genista anglica</i> , Linn.	10		x	x								0	0			*	
<i>Ulex europæus</i> , Linn.	11	!	!	!	!	!	!	!	!	!	!	!	!	!		!	x
<i>Cytisus scoparius</i> , Link.	12	!	!	!	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>C. Adami</i> , Poit.	13									!							
<i>Laburnum vulgare</i> , Presl.	14		!	!		!	!	!	!	!	!				!		
<i>L. alpinum</i> , Presl.	15			!											x		
<i>Ononis repens</i> , Linn.	16							!				0					
<i>Medicago sativa</i> , Linn.	17		0														
<i>M. lupulina</i> , Linn.	18		!	!	*	!	!	!			!		*				
<i>Melilotus officinalis</i> , Lam.	19		0		x	!	!	!	0								

	Bohiemay.	Cairnie.	Cabrach.	Kirkmichael	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1															Casual.
2	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Common.
3															
4	!	x	dry	x	*	!	*	!	!	!	!	!	x	x	Local.
5									!						Introduced.
6							*								Casual.
7															
8	!	x		x	x	!	x	!	!	!	!	!	x	x	Introduced, occurs as alien.
9	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Common.
10							*						x		Casual.
11	!		*		*	!	*	x	!		!	!		x	Common.
12	dry	x	dry	x	x	!	*	!	!	!	!	!	x	x	Common
13						x	!	x							Casual or alien?
14	!	x	*	x	x	!	*	!	!	*	!	x		x	
15	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
16															On coasts.
17	!	x			*			!	!	!	!	x	x	x	Locally common on damp ground.
18															Sandy coasts.
19															Alien?
20															
21					x	!	*		!		!	*		*	Local.
22	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
23				*		*							x		Local.
24	!	x	*	x	x	!	*		!	!	!	!	x	x	Common.

	Rothiemay.	Cairnie.	Cabrach.	Kirmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x	*	x	x	*	*	x	!	!		!	x		Colonist.
2						x	x	x	!		0	*		0	Local.
3															Very local.
4						x	x	x						x	Alien.
5	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
6	!	x	dry	x	x	!	*	!	x	!	!	!	x	x	Common.
7			dry												
8							x								Alien or casual.
9		x	*	x	*	*	*	!	!		!	!	x	*	Nowhere common.
0	x	x	*	x	x	*	*	!	x	*	x	*	x	x	Planted (always?).
1															
2	!	x		x	x	*	*	x		!		x	x	x	Alien?
3							*								Often planted in hedges
4	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
5	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
6						*								*	
7						*									
8						*		x							
9						*									
0						*									
1						*			!						

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1															
2															
3															
4															
5										!					
6															
7															
8			x	x		*	*					*	x	x	
9			dry	x	*	*	*	!		!				x	
0															
1															
2	!	x	*	x	x	!	*	!	!	*	!	!	x	*	Common
3	dry	x	*		*	!	*	x	!	!	!	!	x	x	Not very common
4	x				*	!			!				x		
5	x	x	*	x		x	*	!	!	!	0	!	x	*	Local.
6															Alien.
7						*		x							
8	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
9		x	x	x		x		x		!	!	x	x	x	
0	!	x	*		*	!	*	!	!	!	!	!	x	x	Common.
1	x	x	dry	x	x	!	*	x	!	!	!	x	x	x	Locally common.
2				x	*	*								*	
3	!	x	dry	x	x	!	*	!	!	!	x	!	x	x	Not very common.

		Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglan.	Marnoch.
ROSACEAE—Contd.													
<i>A. vulgaris</i> , Linn.	1												
<i>a. pratensis</i> , Pohl	2	!		!	!	!	!	!	!	0	0	!	!
<i>b. alpestris</i> , Pohl	3	!			!	!	!		!	!	0	!	!
<i>c. filicaulis</i> , (Bueer)	4												
<i>A. alpina</i> , Linn.	5	!							0	0			
<i>A. argentea</i> , G. Don	6						*						
<i>Agrimonia Eupatoria</i> , Linn.	7		0		!	!	0	0	0	!	0		
<i>Poterium Sanguisorba</i> , Linn.	8					!							
<i>Rosa pimpinellifolia</i> , Linn.	9	!			dry	!		!					
× <i>coriifolia</i> (<i>R. hibernica</i> , Sm.)	10							!					
× <i>canina</i> (<i>R. hibernica</i> , var.													
<i>glabra</i>)	11							dry					
<i>f. spinosissima</i> , Linn.	12				dry	dry		dry	0				
<i>R. mollis</i> , Sm.	13	!		dry	?	!		dry	dry	dry	dry		dry
× <i>pimpinellifolia</i>	14					!							
<i>R. tomentosa</i> , Sm.	15	!	!	!	!				dry	dry	dry	x	
<i>R. Eglanteria</i> , Huds.	16						x	!	dry	*	dry	x	*
× <i>pimpinellifolia</i>	17										!		
<i>R. canina</i> , Linn., <i>agg.</i>	18								0				
<i>a. lutetiana</i> , (Leman)	19								dry				
<i>g. dumalis</i> , (Bechst.)	20												
<i>R. dumetorum</i> , Thuill.	21												
<i>R. glauca</i> , Vill.	22	!	dry		dry	!		!	dry	dry	dry	x	dry
<i>e. subscristata</i> , (Baker)	23	!				!		!					
<i>R. coriifolia</i> , Fr.	24	!		dry	x	!	x		dry	dry			*

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1															
2	!	x	*		*	*	x	!	!	!	!	!	x	x	Not very common.
3	!			x	x	!	x	!	!	!	!	!	x	x	Not very common.
4				0											
5			*	x	*	*	*	!			0	0		0	
6															
7															Scarce.
8															Casual.
9				0		*						!			The distribution of the Rosae has been written up by Mr W. Barclay, Perth (vide Introduction) and thus a change in the meaning of two symbols is rendered necessary:—
0															!=Seen by Mr Barclay in the parish indicated, and
1						*					0			0	dry=Dried specimens have been seen by Mr Barclay from the parish indicated.
2															
3		!	dry	x	x	!	*		dry		!	!	!	!	
4				dry											
5		x	dry	0		!			!		0	!	!	x	
6		x				x					!				
7					*?										{ Not native...escape from cultivation.
8							*			*				0	
9						!						!			
0						!						!		*	
1						!						!			
2	x	x	dry			!			x		!	!	!	!	
3				0		!						!	!	!	
4		x	dry		*	!	*		x		!	!	!	!	

		Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah	King-Edward.	Turriff.	Forglen.	Marnoch.	Inverkeithing.
ROSACEAE—Contd.														
<i>Pyrus Aria</i> , Ehrh.	1			!			!	0	!	0		*	x	x
<i>b. rupicola</i> , Syme	2													
<i>P. Aucuparia</i> , Ehrh.	3	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>P. Malus</i> , Linn.	4					*	!		!			*		
<i>Crataegus Oxyacantha</i> , Linn. ...	5	!	!	!	!	!	!	!	!	!	!	!	!	!
SAXIFRAGACEAE.														
<i>Saxifraga oppositifolia</i> , Linn. ...	6							!						
<i>S. stellaris</i> , Linn.	7													
<i>S. umbrosa</i> , Linn.	8								!			!	*	
<i>S. aizoides</i> , Linn.	9								0	0				
<i>S. granulata</i> , Linn.	10	!	0	x	*	!	!	!	*					
<i>S. hypnoides</i> , Linn.	11							!			0			
<i>Chrysosplenium oppositifolium</i> , Linn.	12			!	*	!	!	!	!	!	!	!	!	x
<i>C. alternifolium</i> , Linn.	13						!	0	!	!	0	*	!	x
<i>Parnassia palustris</i> , Linn.	14		x	!	!	!		!	*					
<i>Ribes Grossularia</i> , Linn.	15				x	*	!	0	!	0	0	*	!	
<i>R. alpinum</i> , Linn.	16						*							
<i>R. rubrum</i> , Linn.	17								!				*	
<i>b. petraeum</i> , (Sm.)	18													
<i>R. nigrum</i> , Linn.	19						!		0	0		*		
<i>R. sanguineum</i> , Pursh	20						!		!					
CRASSULACEAE.														
<i>Sedum roseum</i> , Scop.	21							!						
<i>S. Telephium</i> , Linn.	22					!	!		!					

	Bothiemay.	Cairnie.	Cabrach.	Kirknichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x				*			!	*	!			*	Generally planted.
2				0											
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
4					*										
5	!	x	*			!	*	!	!	!	!	!	x	x	{ Generally planted—frequent in hedges.
6				*											Cliffs at Greenside.
7			dry	x		*	*								
8						*									Alien or outcast.
9				x										0	
0															Nowhere common.
1							*								{ Occurs at Greenside with <i>S. oppositifolia</i> .
2	!		dry	x	x	!	*	!	!	!	!	!		*	Fairly common.
3			dry			*	*								Local.
4	!	x	dry	x		*	*	x		!	x	!	x	0	Rather common on damp coasts.
5	x	x	*		*	*	*	x	!	!	!	x	x	x	
6														0	
7	x		*			*			*						
8			*			*		!				*			
9															
0						x									Cliffs between Tarlair and Gamrie. Probably var. <i>Fabaria</i> , Wats.

[illegible]

	Rottemay.	Cairnie.	Cabraeh.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1											!				Local.
2						*									
3							*				!		0		Local.
4	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Rather common.
5						*									
6	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Ditches and marshy ground.
7	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Ditches and marshy ground.
8				0											
9				0											
10				0											
11				0											
12					0										
13				0											
14								!	!			*		0	Rare.
15					x								x	x	
16		x			*					!		*		*	Locally plentiful.
17						*									
18		x				*	*		!			!	x	0	Local.
19						*	*			0		*		0	Denizen.
20															
21															Local.
22	!		*	x	x	*	*	!	!	!	!	*			Alien.
23															Casual—I have seen no specimen.

	Bothiemay.	Cairnie	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x	*	x	*	!	*	!	!	!	!	!	x	x	Common.
2	!			*	x	!	*								Local.
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
4	!	x	*		*	!	*	!	!	!	!	!		x	{ Alien—common by streams and near houses.
5			*			*									Local.
6							*		!		dry			0	Local.
7							dry							x	Rare.
8	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
9															
10			dry	0											
11															Coast.
12				x			*								Escape or relic of cultivation.
13	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
14	x		*			*									
15															
16	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
17									!	!		x	x	x	Not so common as type.
18						*									Alien.
19			dry	x		*			!	!					Colonist?
20	x	*	*			x	x	x	!			*		0	Locally common.
21	x		*		*	*	*	!	!	!		*	x	x	Local.
22			dry			*	*							*	

	Bothiemay.	Cairnie.	Cabrach.	Ki-kmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1			dry			*	*					*		0	Rare.
2	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Generally planted.
3														0	
4															
5						*	*					*			
6								!				x			
7		x			*	*			!	*	0			0	Local.
8	!		*		*	!	*	!	!	!		!	x	x	Generally planted.
9															
10	!							!	!	!		x	x		Planted.
11				*		!	*	!						0	
12												0			See note on old record.
13	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Very common.
14											0				
15	!	x	dry	x	x	!	x	!	!	!	!	!	x	x	Very common.
16				x											
17	*	x	*		*	x	*	x	!	x	x	x	x	x	
18						*						x			
19	!	x		x	x	*	x	!			!	!	x	*	Locally common.
20		x	*	0	*	*	*	x			0		x	x	
21	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
22						x	x	x							Introduced with Distillery grain.

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1			*	0	*	!			!	*		!		0	Rare.
2						x	x	x							Introduced with Distillery grain
3												*			
4					*	!	*	x	!	!	0	*	x	x	Rather common.
5															
6	!	x	*	x	x	!	*	!	!	!	x	!	x	x	Common.
7			*						!						
8												0			Rare.
9															
10	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
11	!		dry												Rare.
12															
13			dry	x	x	!	*	!				*	x	x	Local.
14	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
15				0											
16	dry						*		!						Local—nowhere abundant
17						!	*	!						0	Locally common.
18			dry	x	x	*	*			!	!	*		0	
19															Planted.
20	!	x				!	*	!	!	x	x	x		*	Locally common.
21	!		dry	x	x	*	*	x	!	x	0	*	x	0	Locally common.

	Rothiemay.	Cairnie.	Cabraeh.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharn.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1				x		*	*								
2															
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
4	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
5								0							
6			x			*					x			*	
7															
8	*		*		*	*	*		!	!	0	x		*	Colonist.
9	!	x	*	x	*	!	*	!	!	!	!	x	x	x	Common.
10	!	x				*	*	!					x	x	Alien.
11						*									
12	!	x	*	x	x	!	*	x	!	!	!	x	x	x	Common.
13															Coast.
14															Denizen.
15	!	*	*			*	*			!	x	*	x	0	Alien.
16						*						*			
17	!	x	x			!	*	x	!		0			x	Local.
18	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
19			*			*			!			x		*	Frequent by streams.
20		x			*	x		x	!					x	Alien.
21			*												Alien.
22															
23	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
24		x			*	!	*	x			0	*		*	Common.

			Bellie.	Bathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
COMPOSITAE—Contd.														
<i>Senecio viscosus</i> , Linn.	1			!								
<i>S. Jacobæa</i> , Linn.	2	!	!	!	!	!	!	!	!	!	!	!
<i>S. aquaticus</i> , Hill	3	!	x	!	!	!	!	!	!	!	!	!
<i>S. sarracenicus</i> , Linn.	4							!				
<i>Arctium minus</i> , Bernh.	5		!	x		!	!	!	!			
<i>A. spp. agg.</i>	6	!		*	*	!	!	0				x
<i>Cnicus lanceolatus</i> , Willd.	7	!	!	!	!	!	!	!	!	!	!	!
<i>C. palustris</i> , Willd.	8	!	!	!	!	!	!	!	!	!	!	!
<i>C. heterophyllus</i> , Willd.	9	!									!	
<i>C. arvensis</i> , Hoffm.	10	!	!	!	!	!	!	!	!	!	!	!
var. <i>incanus</i> , Fisch.	11											
<i>Saussurea alpina</i> , DC.	12											
<i>Centaurea nigra</i> , Linn.	13	!	!	!	!	!	!	!	!	!	!	!
<i>C. Cyanus</i> , Linn.	14			*	*	!	!	0	!		*	
<i>Cichorium Intybus</i> , Linn.	15				!	!	!				*	*
<i>Lapsana communis</i> , Linn.	16	!	!	!	!	!	!	!	!	!	!	!
<i>Crepis capillaris</i> , Wallr.	17	!	!	!	!	!	!	!	!	!	!	!
<i>C. mollis</i> , Aschers.	18											
<i>C. paludosa</i> , Moench.	19			!	!	!	!	!	!			
<i>Hieracium Pilosella</i> , Linn.	20	!	!	!	!	!	!	!	!	!	!	!
o. <i>nigrescens</i> , Fr.	21											
d. <i>concinatum</i> , F. J. Hanb.	22											
<i>H. aurantiacum</i> , Linn.	23								!	0		

		Bellie.	Bathven.	Cullen.	Fordyce.	Boydell.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
COMPOSITAE—Contd.													
<i>H. murorum</i> , Linn.	1							0					
<i>H. sarcophyllum</i> , Stenstr.	2							!					
<i>H. euprepes</i> , F. J. Hanb.	3												
<i>c. clivicolum</i> , F. J. Hanb.	4												
<i>H. caesium</i> , Fr.	5						0						
<i>H. vulgatum</i> , Fr.	6	!	!	x			!	0	!	0	0		!
<i>b. sejunctum</i> , W. R. Linton	7											!	
<i>H. angustatum</i> , Lindeb.	8												
<i>b. elatum</i> , Lindeb.	9												
<i>H. pinnatifidum</i> , Lonnr.	10												
<i>H. prenanthoides</i> , Vill.	11												
<i>H. corymbosum</i> , Fr.	12												
<i>H. auratum</i> , Fr.	13												
<i>H. boreale</i> , Fr.	14						!		0				
<i>Hypochaeris radicata</i> , Linn.	15	!	!	!	!	!	!	!	!	!	!	!	!
<i>Leontodon hispidum</i> , Linn.	16							?					
<i>L. autumnale</i> , Linn.	17	!	!	!	!	!	!	!	!	!	!	!	!
<i>c. sordidum</i> , Bab.	18				x	!					x		
<i>Taraxacum officinale</i> , Weber	19	!	!	!	!	!	!	!	!	!	!	!	!
<i>T. palustre</i> , DC.	20					!			0				
<i>Sonchus oleraceus</i> , Linn.	21	!	!	!	!	!	!	!	!	!	0	*	*
<i>S. asper</i> , Hill	22	!	!	!	!	!	!	!	!	!	0	x	!
<i>S. arvensis</i> , Linn.	23	!	!	!	!	!	!	!	!	!	0	!	!
<i>Helminthia echinoides</i> , Gaertn.										dry			

		Bellie.	Rathven.	Cullen.	Forcyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
CAMPANULACEAE.													
Lobelia Dortmanna, Linn.	1												
Campanula latifolia, Linn.	2		0	0			!		!	!	0	*	
C. glomerata, Linn.	3						!						
C. rapunculoides, Linn.	4						!				x		
C. rotundifolia, Linn.	5	!	!	!	!	!	!	!	!	!	!	!	!
C. persicifolia, Linn.	6		x										
C. Rapunculus, Linn.	7												
VACCINIACEAE.													
Vaccinium Vitis-Idæa, Linn.	8		0	0			0		0		0		!
V. Myrtillus, Linn.	9	!	!	!	!	!	!	!	!	!	!	!	!
Oxycoccus quadripetala, Gilib. ...	10		0										
ERICACEAE.													
Arctostaphylos Uva-ursi, Spreng. ...	11												
Calluna vulgaris, Hull	12	!	!	!	!	!	!	!	!	!	!	!	!
Erica Tetralix, Linn.	13	!	!	!	!	!		!	!	0	!	!	!
E. cinerea, Linn.	14	!	!	!	!	!	!	!	!	!	!	!	!
Azalea procumbens, Linn.	15												
Pyrola media, Sw.	16							x	0		0		
P. rotundifolia, Linn.	17										0		
P. minor, Linn.	18		!		*				!		0	!	
P. secunda, Linn.	19								0		0		
Moneses uniflora, A. Gray	20												
PLUMBAGINACEAE.													
Armeria maritima, Willd.	21	!	!	!	!	!	!	!					

	Eothiamay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1				0											
2			*		*	!	*	x				*		x	Alien.
3															
4							*								
5	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
6															
7							*								
8		x	dry	x	x	*	*	!	!	!	!	!	x	x	
9	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
10			dry			*	dry								
11		*	dry	x	x	*	dry	!						x	
12	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
13	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
14	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
15			dry	x		dry								0	
16	!	x	*				*					*		0	Rare.
17															
18			*			!	*	!	!	!	!	!	x	0	Local.
19	0			*			dry							0	
20	0													0	
21			*	x											{ The Kirkmichael plant is the mountain form.

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x	*	x	*	*	*	!	!	!	0	!	x	x	
2				x		*	*								
3															
4			*?												
5	dry	x	*		*	!	*	x	!	!	0	!	x	x	
6	x	x	*	x	x	!	*	!	!	!	!	x	x	x	
7															
8						*			!						
9				*		x	*								
10														0	
11	!	x	*	x	x	!	*	!	!	!	!	x	x	x	
12															
13	!				*	!	*	!				x		*	
14						*	*								
15	!		*			!								*	
16															
17	!		dry		*	!	*			*	x	*		x	
18												*			
19	x	x	*			!					0	x	x	x	
20															

Alien.

{ Local, especially in damp shady woods.

Local, in woods and on moors.

Coast.

Rather scarce.

Rare.

Generally planted.

Planted in Duff House Policies.

Often planted in hedges.

Alien.

{ Often confused—a thorough revision of the forms in the N. of Scotland is necessary.

Local.

Introduced.

	Bellie.	Rathven.	Oullen.	Fordyce.	Boyndie.	Banff.	Ganrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
POLEMONIACEAE.												
<i>Polemonium caeruleum</i> , Linn.	1		x					!				
BORAGINACEAE.												
<i>Cynoglossum officinale</i> , Linn.	2				0							
<i>Symphytum officinale</i> , Linn.	3							x				*
<i>b. patens</i> , (Sibth.)	4					!						
<i>S. tuberosum</i> , Linn.	5		!	!	!	!	!	!	!	!	!	!
<i>S. peregrinum</i> , Ledeb.	6						0	*		0	dry	*
<i>Trachystemon orientale</i> , D. Don	7					!						
<i>Anchusa sempervirens</i> , Linn.	8		x		!	!		!				
<i>Borago officinalis</i> , Linn.	9	0	0								*	
<i>Lycopsis arvensis</i> , Linn.	10	!	!	!	!	!	!	!	!	0	*	*
<i>Pulmonaria officinalis</i> , Linn.	11					!						
<i>Mertensia maritima</i> , Gray	12		!	!	!	0	!					
<i>Myosotis cespitosa</i> , Schultz	13	!	x	!	!	!	!	!	0	0	*	!
<i>M. scorpioides</i> , Linn.	14			*	*	!	0	!	0	0	*	!
<i>b. strigulosa</i> , (Reichb.)	15											
<i>M. repens</i> , G. & D. Don	16	!	!	!	!	!	!	!	!	!	!	!
<i>M. sylvatica</i> , Hoffm.	17							0				
<i>M. arvensis</i> , Rill	18	!	!	!	!	!	!	!	!	!	!	!
<i>M. collina</i> , Hoffm.	19	!			!	0	0	0				
<i>M. versicolor</i> , Sm.	20	!	!	*	!	!	!	!	0	0	!	*
<i>Lithospermum officinale</i> , Linn.	21			*								
<i>L. arvense</i> , Linn.	22							0				
<i>Echium vulgare</i> , Linn.	23							0				

			Bellie.	Rathven.	Cullen.	Fordyce.	Boydzie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
CONVOLVULACEAE.														
<i>Calystegia sepium</i> , Br.	1				*						*			
<i>Convolvulus arvensis</i> , Linn.	2												*	
SOLANACEAE.														
<i>Solanum Dulcamara</i> , Linn.	3				*				0	*		x		
<i>S. nigrum</i> , Linn.	4						0	!		*				
<i>Hyoscyamus niger</i> , Linn.	5				*			!						
SCROPHULARIACEAE.														
<i>Verbascum Thapsus</i> , Linn.	6													
<i>V. pulverulentum</i> , Vill.	7													
<i>V. Blattaria</i> , Linn.	8													
<i>Linaria Cymbalaria</i> , Mill.	9				*			!	!	*	x			
<i>L. Elatine</i> , Mill.	10													
<i>L. repens</i> , Mill.	11									*				
<i>L. vulgaris</i> , Mill.	12		0		*	*			0					*
<i>Scrophularia nodosa</i> , Linn.	13	!	x	!	!	!	!	!	!	!	!	!	!	!
<i>Mimulus Langsdorfi</i> , Donn.	14	!			!	!	!	!	!	!	!	!	!	!
var. <i>guttatus</i> , DC.	15													
<i>M. moschatus</i> , Dougl.	16	!												
<i>Digitalis purpurea</i> , Linn.	17	!	L	!	!			!	!	!	!	!	!	!
<i>Veronica hederæfolia</i> , Linn.	18		!		*	!	!	!	!		0	!		
<i>V. didyma</i> , Ten.	19							!		*		0		
<i>V. agrestis</i> , Linn.	20	!		!	!	!	!	!	!	!	0	0	!	x
<i>V. Tournefortii</i> , C. Gmel.	21			!	!	!	!	!	!	!		0	*	!
<i>V. arvensis</i> , Linn.	22		x	!	!	!	!	!	!	!	0	!	!	!

	Bohiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1					*	*				*		*		*	
2			*			*									
3												*			
4							*								Casual.
5						*	!								
						*	*								
						*	*								
						*	*								
!						*							*		Alien.
						x									Introduced with Distillery grain.
!	x	*		*	*	*	*							0	Escape.
!	x	*		x	x	!	*	!	!			!		0	Local—near water.
!	x	*		*	*	!	*	!	!	!	!	x		x	Alien.
dry	x			0				x							
	x														
!	x	*	x	x	x	!	*	!	!	!	!	!	x	x	Local—nowhere very common.
		dry				*	*		!		0			x	Colonist—locally plentiful.
									!					x	Rare.
!	*	*	x	x	*	*	*	!	!	!	x	x	x	x	{ Fairly common on cultivated ground.
!					*	*	*	!	!	!				x	Colonist—locally plentiful.
x	x	dry	x	x	x	x	*	!	!	x	!	x	x	x	Common.

[illegible]

			Bellie.	Rathven.	Cullen.	Fordyce.	Boydle.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
SCROPHULARIACEAE — Contd.														
Bartsia Odontites, Huds.	1	x	!	!	!	!	!	!	!	!	!		!	!
Pedicularis palustris, Linn.	2	!	!		!	!			!	!	0	0	!	!
P. sylvatica, Linn.	3	!	!	!	!	!			!	!	0	0		!
Rhinanthus major, Ehrh.	4													
c. apterus Fr.	5					!								
R. Crista-galli, Linn.	6	!	!	!	!	!	!	!	!	!	!	!	!	!
R. borealis, Druce	7													
Melampyrum pratense, Linn.	8									0		0		
d. montanum, Johnst.	9													
e. hians, Druce	10													
M. sylvaticum, Linn.	11													
LENTIBULARIACEAE.														
Utricularia vulgaris, Linn.	12									*				
U. minor, Linn.	13	!								0		0		
U. intermedia, Hayne	14											0		
Pinguicula vulgaris, Linn.	15	!	!		!	!		!			0	0		!
LABIATÆ.														
Mentha rotundifolia, Huds.	16				x									
M. alopecuroides, Hull	17													
M. longifolia, Huds.	18													
M. spicata, Linn.	19									!			*	!
M. piperita, Linn.	20				x				!	!	0	0		

	Bothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x			*	!			!	!	x	!		*	On damp ground and by roadsides.
2	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
4							*								
5	!			0	x				!		!				Casual.
6	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
7				0											
8			dry	x	x	!						!	x	*	
9				0		*									
0				0											
1							*								
2												x			
3		x									x				
4															
5	!	x	*	x	x	!	*	!	!	!	!	*	x	x	Common locally.
6															
7				0					!						
8															
9	x	x													
0	x	x			x	*	x		!				x	x	

		Belke	Bathven.	Cullen.	Fordyce.	Boydie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
LABIATAE—Contd.													
<i>Lamium amplexicaule</i> , Linn. ...	1		!	!	*	!	!	!	0	0	0		
<i>L. molucellifolium</i> , Fr. ...	2			!	!	!	!	!	*	!	!	!	
<i>L. purpureum</i> , Linn. ...	3		!	!	!	!	!	!	!	!	!	!	!
<i>L. maculatum</i> , Linn. ...	4		0	x			!	x	!	0	0		
<i>L. album</i> , Linn. ...	5			!	*	*	!		!	0			
<i>Teucrium Scorodonia</i> , Linn. ...	6	!						0			0		
<i>Ajuga reptans</i> , Linn. ...	7			!	*	*	!	!	!	0	0	*	!
PLANTAGINACEAE.													
<i>Plantago major</i> , Linn. ...	8	!	!	!	!	!	!	!	!	!	!	!	!
<i>P. media</i> , Linn. ...	9						!					*	
<i>P. lanceolata</i> , Linn. ...	10	!	!	!	!	!	!	!	!	!	!	!	!
<i>P. maritima</i> , Linn. ...	11	!	!	!	!	!	!	!	!	!	!	*	!
<i>P. Coronopus</i> , Linn. ...	12	!	!	!	!	!	!	!					
<i>Littorella uniflora</i> , Aechers. ...	13			x	x				0				
ILLECEBRACEAE.													
<i>Scleranthus annuus</i> , Linn. ...	14	!	!	x	x	!	!	!	0	!	0	*	*
CHENOPODIACEAE.													
<i>Chenopodium album</i> , Linn. ...	15				*	*	!	!	!	!	0		!
<i>b. viride</i> , (Linn.) ...	16				x	x						x	x
<i>c. paganum</i> , (Reichb.) ...	17		x	x	x	x	x					x	
<i>C. Bonus-Henricus</i> , Linn. ...	18							0	0	!	0		*
<i>Atriplex patula</i> , Linn. ...	19		!	!	!	!	!	!	!	!	0	x	
<i>b. erecta</i> , (Huds.) ...	20							0		0			
<i>A. hastata</i> , Linn. ...	21			x		x	x						

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1			*			!	x		!	!	0			x	Frequent.
2				x		*	*		!	!	!				Colonist—not very common.
3	!	x	*	x	x	!	*	!	!	!	!	x	x	x	Colonist—common.
4		x			*				!						Escape.
5			*			*			!						Rare.
6					*	!	*	!				*		x	
7	dry	x	dry		x	!	*	!	!	!	x	!	x	x	Locally common in woods.
8	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
9						*			x						Often introduced in lawn seed.
10	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
11	!	x						!	!	!	!	x		0	Common.
12															Common—on coast.
13							x								
14		x		x	x	*	*	!		!	0			0	Frequent.
15	!	x			*	*	*	!		*	x	x	x	*	Colonist.
16	x														
17									x						
18			*			*	*					*		0	
19					*	*	*	!	!		x	*		x	
20															
21							*								

CHENOPODIACEAE—Contd.

			Belle.	Rathven.	Cullen.	Fordeec.	Boyndie.	Banff.	Gamrie.	Alvah.	King Edward.	Turriff.	Forglan.	Marnoch.
A. Babingtonii, Woods	1		!	!	!	!	!					
b. virescens, Lange	2			x	x							
A. calotheca, Fr.	3				??							
A. laciniata, Linn.	4				!							
Salsola Kali, Linn.	5		0	!	!							

POLYGONACEAE.

Polygonum Convolvulus, Linn.	6	!	!	!	!	!	!	!	!	!	!	x
P. aviculare, Linn.	7	!	!	!	!	!	!	!	!	!	!	!
P. equisetiforme, Sibth. & Sm.	8											
P. Hydropiper, Linn.	9					!	0	!	*			
P. Persicaria, Linn.	10	!	!	!	!	!	!	!	!	!	!	!
P. lapathifolium, Linn.	11		x				0	0	0	0		
P. amphibium, Linn....	12	!		*	!	!	0	0	0	x		!
b. terrestre, Leers	13		x	!	!	!	!	!	x	x	!	!
P. Bistorta, Linn.	14			*	0	!				x	*	
P. viviparum, Linn.	15					0		0		0		
Fagopyrum sagittatum, Gilib.	16					!		!				
Oxyria digyna, Hill	17											
Rumex conglomeratus, Murr.	18	!					!	!				
R. sanguineus, Linn.	19			x	x		!	x				
b. viridis, (Sibth.)	20						0					
R. obtusifolius, Linn.	21	!	!	!	!	*	!	!	!	!	!	!

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1															Coast.
2															
3															
4															Sandy coast—very rare.
5															Sandy coast—very rare.
6	dry	x			x	!	*	!	!	!				x	Colonist.
7	!	x	*	x	x	!	*	!	!	!		x	x	x	{ Common—var. <i>arenarium</i> occurs on coast.
8						x		x							
9					*			x							Rare.
10	!	x	*	x	x	!	*	!	!	!	!	x	x	*	Common.
11						x	*							x	
12	dry										0			0	Not so common as var. <i>terrestre</i> .
13	dry	x				!	x	x		!	x	x		x	Frequent.
14				0		*	*			!		*			Denizen.
15			dry	x	x	*	*		!		!	!		0	{ On limestone at the lower elevations.
16															
17				x	x	x								0	Casual.
18			*		*	*	*							*	Frequent on banks of R. Deveron.
19						*								*	
20					*									*	
21	!	x	dry	x	x	*		!	!	x	x	x	x	x	

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	x	x	*	x	x	x	*	!	!	!	x	x	x	x	
2					x	*							x		
3							*		x				x		
4															
5	!	x	*	x	x	x		!	!	!	!	x	x	x	
6			x	x	x	x		x			x	x	x	x	
7															
8															
9	!	x					*			!	x				Relic of cultivation?
10	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
11	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
12						*									
13															
14	!	x	*	x	x	!	*	!	!	!	!	*	x	x	Colonist, in fields and gardens.
15															Seen once in Duff House Policies
16	dry		?						x			*		*	Colonist, in gardens.
17															
18															Planted.
19															
20	!	x	*	x	x	!	*	x			0	!	x	x	Locally common.

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x		x	x	*	*		!	!	!	!	x	*	Generally planted.
2															Planted.
3		x				x									Naturalised.
4	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
5	!														
6	!	x		x	x	x	*	!	x	!	0	*		x	
7															On old Castle at Boyne.
8						x									
9	!	x		x	x	!	*			!	x			*	In bogs.
10		x	x	x	x	*	*	!	!	!	!	!	x	x	
11	x			x									x		
12				0											
13	!	x	*	x	x	!	*	!	!	!	!	x	x	x	Near water.
14						*						*		*	
15	x	x	*	x	x	*	*	x	!		0	!	x	x	
16					*				0		0			*	
17	!	x			x	*	x	!	!	!	!	!	x	x	
18						*		!				x	x		
19	x					*		!				*	x		
20	!	x		x	x	!	*	!	!	!	!	!	x	x	

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1		x													
2		x													Planted.
3	x	x			x	*	x	x	x		x	x	x	x	Planted.
4		x			*				x			x	x	*	Planted.
5															
6	x					*		x	x					x	
7	x	x	*			x		x	x	x	x	x	x	x	
		x	*	x	x	x	*					x	x	*	
9				0											
10	x	x	x	x	x	x	x	x	x	!	x	x	x	x	
11										!?					
12				0											
13				x						!		x			
14	!	x	x	x	x				!	!	!	x	x	x	
15				x											
16	!	x	x	x	x	x				!	!	x	x	x	
17			dry	x		dry									
18						*		!							Planted.
19	x		dry	x		*	*			*		x		*	
20	!					*	x	!	!		!			x	Planted.
21	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Common on heaths.
22	!	x	dry	x	x	*	*	x		!	!	*		*	

	Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
CONIFERÆ—Contd.												
<i>J. sibirica</i> , Burgsdorf... ..	1	1?		1?			1					
<i>Taxus baccata</i> , Linn.	2	1				1		1			1	
<i>Pinus sylvestris</i> , Linn.	3	1	1	1	1	1	1	1	1	1	1	1
<i>Picea excelsa</i> , Link.	4	1		x			1	1	x	x	1	1
<i>P. nobilis</i> , Loud.	5					1						
<i>Larix europœa</i> , DC.	6	0	1	1	x	0	1	1	x	1	1	1
<i>Abies pectinata</i> , DC.	7							1	x	x	1	*
HYDROCHARIDACEÆ.												
<i>Elodea canadensis</i> , Michx.	8	1				1		1	0	1	1	1
ORCHIDACEÆ.												
<i>Listera cordata</i> , Br.	9	1	1	1	*			1	1	0	*	
<i>L. ovata</i> , Br.	10				*							
<i>Spiranthes spiralis</i> , Koch	11			*								
<i>Goodyera repens</i> , Br.	12	1	1	1	*	1	1	1	1	0	*	1
<i>Helleborine atrorubens</i> , Druce	13											
<i>Orchis mascula</i> , Linn.	14			*	*		1	0				
<i>O. incarnata</i> , Linn.	15				1							
<i>O. latifolia</i> , Linn.	16	1	1	1	*	1	1	1	1	0	*	*
<i>O. maculata</i> , Linn.	17	1	1		1	1	1	1	0		*	1
<i>× latifolia</i>	18											
<i>O. ericetorum</i> , Linton.	19											
<i>Habenaria conopsea</i> , Benth.	20		1	*	1	1	1			0		1
<i>H. albida</i> , Br.	21							0				
<i>H. viridia</i> , Br.	22		1		1			0				

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1			*?	x											
2					*	*	*								
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	
4	!			x	x	x	x	!		!	x		x	x	
5															
6	!	x		x	x	x	x	!	!	!	!	x	x	x	
7														x	
!											!	x	x		
9			dry		*	*	*	!	!	!	!	*		0	Nowhere common.
10				*		*		0		!	!	!			Scarce.
11															{ I have seen no specimen of this plant.
12	!		*			!	*	!	!	!	!	!	x	0	In fir woods and on moors.
13				0											
14			*			*			!	!	!	*			
15										!	!				Scarce.
16				0	x	*	*	!	!	!	!	x	x		
17	!	x	*	x	x	*	*	!	!	!	!	!		x	
18				0											
19										!	!				{ On Knock Hill—very doubtfully distinct as a species.
20		x			*	!	*		!	!	!	!		*	
21			dry				*			!					Rare.
22										!	!	x		0	Rare.

JUNCACEAE—Contd.

					Bellie.	Rathven.	Cullen.	Fordyce.	Boydle.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
<i>J. squarrosus</i> , Linn.	1	!	!	!	!	!	!	!	!	0	!	!	!
<i>J. Gerardi</i> , Lois.	2	!	!	!	!	!		!					
<i>J. balticus</i> , Willd.	3	!											
<i>J. effusus</i> , Linn.	4	!	!	!	!	!	!	!	!	!	!	!	!
<i>J. conglomeratus</i> , Linn.	5	!	!	!	!	!	!	!	!	!	!	!	!
<i>J. maritimus</i> , Linn.	6		0			0							
<i>J. bulbosus</i> , Linn.	7			!	!	!	!	!	0	0	0		!
<i>J. articulatus</i> , Linn.	8	!	!	!	!	x	!	!	!	0	!	!	!
<i>J. sylvaticus</i> , Rich.	9		!	!	!	!	!	!	!	!	0	!	!
<i>J. biglumis</i> , Linn.	10												
<i>J. triglumis</i> , Linn.	11												
<i>Luzula pilosa</i> , Willd.	12	!	!	!	x	!	!	0	!	0	0	!	*
<i>L. sylvatica</i> , Gaud.	13	!	!	!	!	!	!	!	!	!	!	!	!
<i>L. arcuata</i> , Wahl.	14												
<i>L. spicata</i> , DC.	15												
<i>L. campestris</i> , DC.	16				*	*		0	0	0	0		
<i>L. erecta</i> , Desv.	17											!	
<i>a. umbellata</i>	18		!	!	!	!	!	!	!	0	0		!
<i>b. congesta</i>	19	!	!	!	!	!	!	!	!	!	0		!

TYPHACEAE.

<i>Typha latifolia</i> , Linn.	20								dry		0	!	
<i>Sparganium erectum</i> , Linn.	21	!		!	!	!	!	0	!	!	!	!	!
<i>S. simplex</i> , Huds.	22	!				?			0				
<i>S. affine</i> , Schnitzl.	23								0			x	

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common on moors.
2															Fairly common in salt marshes.
3															Very rare.
4	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
5	!	x	x	x	x	*	*	!	!	!	!	!	x	x	Common.
6															
7	!	x		x	x	x	x	x	!	x	x	x	x	x	{ A very delicate form seen in Duff House Woods, has been named var. <i>pygmaeus</i> .
8	!	x	x	x	x	!	x	x	!	!	!	x	x	x	
9	!	x	x	x	x	x	x	x	!	!	!	x	x	x	
10				0											
11				0											
12				x	x	*	x	!	!	x	!	!	x	x	Not very common.
13	!	x	*		*	!	*	!	!		!	!	x	x	Common especially in woods.
14				x											
15				x		x								0	
16			*		*	*	*				0	*		*	
17	*				*			!						x	
18	!	x	*	x	x	!			!	!	!	!	x		Frequent.
19	!	x	*	x	x	!			!	!	!	!	x		Frequent.
20									!						Introduced.
21	!	x									x	x	x	*	Rather local.
22		x													Scarce.
23		x									x	x			

	Belle.	Bathven.	Cullen.	Fordyce.	Boyndie.	Banff	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglan.	Marnoch.
TYPHACEAE—Contd.												
S. minimum, Fr.	1									0		
ARACEAE.												
Arum maculatum, Linn.... ..	2	0				!						
LEMNACEAE.												
Lemna minor, Linn.	3	!		*	!		!	0			*	*
L. trisulca, Linn.	4											
ALISMACEAE.												
Alisma Plantago-aquatica, Linn. ...	5					!	!	0	0			
NAIADACEAE.												
Triglochin palustre, Linn.	6	!	!	!	!		!			0	*	*
T. maritimum, Linn.... ..	7			!	!	!	!					
Potamogeton natans, Linn.	8	!		!	!		0	0	x	0	!	!
P. polygonifolius, Pourr.	9	!	!		!	!	!	!	!	0	!	
P. alpinus, Balb.	10							0		0		
P. lanceolatus, Sm.	11							0				
P. lucens, Linn.	12							0		0		
P. perfoliatus, Linn.	13					!		!	0	!	!	
P. crispus, Linn.	14			*	*			!		0	!	!
P. pusillus, Linn.	15			*	*			0				
Ruppia rostellata, Koch.	16					0						
Zostera marina, Linn.	17					!	!					
CYPERACEAE.												
Eleocharis palustris, Roem. & Schult.	18	!	!	!	x	!	!	!	0	!	!	!
E. uniglumis, Schultes	19		x			!						

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1		x				x	x				x	x	x		
2														*	Alien.
3	!		*		*		*				!	!		*	Local.
4														0	
5														0	Very rare.
6		x	dry		x	!	*	x	!	!	!	!	x	x	In marshes—local.
7															Coast.
8		*	*			*	*		!	!	x	x	x	x	In pools and slow-running water.
9	!	x		x	x	!	x			!	!	x	x	*	In marshes.
10				0											
11														0	
12															
13	!													0	In R. Deveron, frequent.
14	!														
15															
16															
17															{ Washed in on rocks near Banff Harbour and near Gardenstown
18	dry	x			*	x	*	!	!		x	x	x	x	Common.
19															{ Apparently scarce but probably overlooked.

			Bellie.	Rathven.	Cullen.	Fortyrec.	Boyndie.	Banff.	Gamrie.	Alveth.	King Edward.	Turriff.	Forglan.	Marnoch.
CYPERACEAE—Contd.														
<i>Scirpus pauciflorus</i> , Ligtf.	1	!				!	!		!					
<i>S. caespitosus</i> , Linn.	2		!			!	!		0	!	0	0	x	!
<i>S. setaceus</i> , Linn.	3									0			*	*
<i>S. Tabernaemontani</i> , Gmel.	4	0	0											
<i>S. sylvaticus</i> , Linn.	5					!	!	!		0			!	!
<i>S. rufus</i> , Schrad.	6			x		!	!	0						
<i>Eriophorum vaginatum</i> , Linn.	7		!			!			!	!	0		*	*
<i>E. angustifolium</i> , Roth.	8	!	!	x		!	!		!	!	0	0	*	*
<i>Rhynchospora alba</i> , Vahl	9										0			
<i>Schoenus nigricans</i> , Linn.	10	!				!								
<i>Carex dioica</i> , Linn.	11									0				
<i>C. pulicaris</i> , Linn.	12	!	!			!	!		!	0	0	0	*	!
<i>C. pauciflora</i> , Lightf.	13													
<i>C. incurva</i> , Lightf.	14	!						0						
<i>C. arenaria</i> , Linn.	15	!	x	!	!	!	!	!	!					
<i>C. diandra</i> , Schrank	16													
<i>C. paniculata</i> , Linn.	17		x											
<i>x remota</i>	18	0												
<i>C. vulpina</i> , Linn.	19					?!								
<i>C. muricata</i> , Linn.	20													
<i>C. echinata</i> , Murr.	21	!	!			!	!		!	!	0	0	!	!
<i>C. remota</i> , Linn.	22							!					!	
<i>C. curta</i> , Good.	23		!			!			!	!	0		!	
<i>b. alpicola</i> , Wahl.	24									0				

CYPERACEAE.—Contd.

					Bellie.	Rathven.	Cullen.	Fordyce.	Boydie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
<i>C. leporina</i> , Linn.	1	!	!		x	!	!	!	!	!	!	!	!	0	!	x
<i>C. atrata</i> , Linn.	2															
<i>C. rigida</i> , Good.	3															
<i>C. aquatilis</i> , Wahl.	4	!									*			0	!	
<i>C. Goodenowii</i> , Gay	5	!	!	!	!	!	!	!	!	!	!	!	0	0	!	!
<i>b. juncella</i> , Fr.	6															
<i>C. flacca</i> , Schreb.	7	!	!	!	!	!		!	!		!	!	0	0	!	!
<i>C. rariflora</i> , Sm.	8															
<i>C. pilulifera</i> , Linn.	9				x						!	!				x
<i>C. caryophyllea</i> , Latourr.	10													0		
<i>C. pallescens</i> , Linn.	11															
<i>C. panicea</i> , Linn.	12	!	!	!	!	!	!	!	!	!	!	!	0	0	!	!
<i>C. capillaris</i> , Linn.	13															
<i>C. pendula</i> , Huds.	14										0			0		
<i>C. sylvatica</i> , Huds.	15															
<i>C. helodes</i> , Link.	16									*			!			!
<i>C. binervis</i> , Sm.	17	!	!	!	!	x					0	!	0	!	!	!
<i>C. distans</i> , Linn.	18			!	!	!					!					
x <i>extensa</i>	19							!								
<i>C. fulva</i> , Host.	20				!	!					0		0			
<i>C. extensa</i> , Good.	21			x		!					0					

		Belie	Rathven.	Cullen.	Fordyce.	Boydie.	Banff.	Gamrie.	Alvsh	King-Edward.	Turriff.	Forglen.	Marnoch.
CYPERACEAE—Contd.													
<i>C. flava</i> , Linn.	1	!	!	!	!	!		!		0	0		!
× <i>fulva</i>	2												
<i>b. lepidocarpa</i> , (Tausch.)	3												
× <i>fulva</i>	4												
<i>C. Oederi</i> , Retz.	5												
× <i>fulva</i>	6							0					
<i>d. œdocarpa</i> , And.	7												
<i>C. hirta</i> , Linn.	8							0					
<i>C. acutiformis</i> , Ehrh.	9												
<i>C. riparia</i> , Curt.	10				*				!				
<i>C. inflata</i> , Huds.	11	!		!		!	!	0	!	0	0	!	!
GRAMINEAE.													
<i>Phalaris canariensis</i> , Linn.	12				!	!	!		*				
<i>P. arundinacea</i> , Linn.	13	!	!	!	!	!	!	!	!	!	!	!	!
<i>Anthoxanthum odoratum</i> , Linn.	14	!	!	!	!	!	!	!	!	!	!	!	!
<i>Alopecurus geniculatus</i> , Linn.	15	!	!	!	!	!	!	!	!	!	!		!
<i>A. pratensis</i> , Linn.	16	!	!	!	!	!	!	!	!	!	!	!	!
<i>Milium effusum</i> , Linn.	17				0								
<i>Phleum pratense</i> , Linn.	18	!	x		!	*	!	!	!	!	!	!	x
<i>b. nodosum</i> , (Linn.)... ..	19					!		0	0	0	0		
<i>P. arenarium</i> , Linn.	20						0						
<i>Agrostis canina</i> , Linn.	21				*	*		0		0	0	x	

	Rotniemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange	Keith.	Botriphnie.	Mortlach.	
1	x	x	dry	x	x	!	*	!	!	!	!	!	x	*	Common.
2												x			
3				0											
4				0											
5		x		x							x	x	x		
6															
7				0											
8							*								
9						?								0	
10															Rare.
11		x	dry		*		*		!	!	x	x	x	x	Locally common.
12							*								Casual.
13	!	x	*	0	*	!	*	!	!	!	!	!	x	x	Common by streams.
14	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
15	!	x		x	x	!	*	!	!	!	!	!	x	x	Common.
16	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
17															
18	!	x		x	x	*		!	!	*	x	!	x	x	
19															
20															
21	dry	x	x	x	x	*	x	!	!	!	!	x	x	x	Frequent.

		Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Baiff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.
GRAMINEAE—Contd.													
A. alba, Linn.	1	!	!	!	!	*	!	!	!	!	0	!	x
b. stolonifera, (Linn.)	2			x				0		0	0		
d. coarctata, (Hoffm.)	3												
A. tenuis, Sibth.	4	!	!	!	!	!	!	!	!	!	!	!	x
b. pumila, (Linn.)	5		!		!		x	!		0	0		
Ammophila arenaria, Link.	6	!	x		!	!	!	!					
Aira caryophyllea, Linn.	7	!	!	!	!	!	!	!	!	!	!	!	!
A. praecox, Linn.	8	!	!	!	!	!	!	!	!	!	!	!	!
Deschampsia caespitosa, Beauv. ..	9	!	!	!	!	!	!	!	!	!	!	!	!
D. alpina, Roem. & Schult.	10												
D. flexuosa, Trin.	11	!	!	!	!	!	!	!	!	!	!	!	!
Holcus mollis, Linn.	12		x	x	!			!	0	!	0	x	x
H. lanatus, Linn.	13	!	!	!	!	!	!	!	!	!	!	!	!
Trisetum flavescens, Beauv.	14												
Avena pubescens, Huds.	15					!		!					
A. pratensis, Linn.	16			0	x								
b. alpina, (Sm.)	17												
c. longifolia, (Parn.)... ..	18												
A. strigosa, Schreb.	19				!	x		0		0			x
A. fatua, Linn.	20				*	*							
A. sativa, Linn.	21												
Arrhenatherum elatius, Mert. & Koch	22				*	*		!			x		
b. bulbosum, Presl.	23	!	!	!	!	!	!	!	!	!	!	!	!
Sieglingia decumbens, Bernh. ...	24		!	!	!	!	!	!		0	0		

	Rothiemay.	Cairnie	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1	x	x	dry	x	x	*	x	!	!	!	!	x	x	x	Frequent.
2	dry										x			*	
3				0											
4	!	x	dry	x	x	x	*	x	!	x	!	x	x	x	Common.
5	!	x	0	x	x	x	x	x	!	!	!	x		x	
6															Coast.
7	!	x		x	x	!	x	!	!	!	!	x	x	x	Common.
8	dry	x		x	x	!	*	!	!	!	!			x	Common.
9	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
10				0											
11	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	Common.
12	*	x	dry	x	x	*	*	x	!	x	!	x	x	x	Not so common as next.
13	!	x	dry	x	x	!	*	!	!	!	!	!	x	x	
14														x	
15				*					!					0	Rare.
16	*	x	dry	x		*								0	
17				0											
18				0											
19		x					x		!	x	x	x			
20						*					0	*			
21						x									
22	*														
23	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
24	!	x	dry	x	x	x	*		!	!	!	x	x	x	

GRAMINEAE — *Contd.*


		Bellie.	Rathven.	Cullen.	Fordyce.	Boyndie.	Baff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.	Inverkeithing.
<i>Phragmites communis</i> , Trin. ...	1					!			0					
<i>Cynosurus cristatus</i> , Linn. ...	2	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>Koeleria gracilis</i> , Pers. ...	3	!	x	x	!	!	!	!	0					
<i>c. britannica</i> , Domin. ...	4													
<i>Molinia cærulea</i> , Moench. ...	5	!	!	!	x	!	!	!	0		0			
<i>b. depauperata</i> , (Lindl.) ...	6													
<i>Catabrosa aquatica</i> , Beauv. ...	7					!								
<i>Melica nutans</i> , Linn. ...	8													
<i>Dactylis glomerata</i> , Linn. ...	9	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>Briza media</i> , Linn. ...	10				!	!			0					
<i>Poa annua</i> , Linn. ...	11	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>P. alpina</i> , Linn. ...	12													
<i>P. nemoralis</i> , Linn. ...	13										0	x		
<i>d. divaricata</i> , Syme ...	14													
<i>P. compressa</i> , Linn. ...	15													
<i>P. pratensis</i> , Linn. ...	16	!	!	!	!	!	!	!	!	0	!	!	!	!
<i>P. trivialis</i> , Linn. ...	17	!			!	!	!	!	!		0	!	!	!
<i>Glyceria fluitans</i> , Br. ...	18	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>G. plicata</i> , Fr. ...	19					!								
<i>G. aquatica</i> , Wahlb. ...	20						!		0	0	0	!		x
<i>G. maritima</i> , Mert. & Koch. ...	21			!	!	!		!						
<i>G. declinata</i> , Bréb. ...	22													
<i>Festuca bromoides</i> , Linn. ...	23		!				!	!	*		0			
<i>F. ovina</i> , Linn. ...	24	!	!	!	!	!	!	!	!	0	!	!	x	x

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1		x													Rare.
2	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Very common.
3											0			0	
4				0											
5	*	x	x	x	x		*	!	!	!	!		x	x	Locally common.
6				x											
7															
8				0		?						0			
9	!	x	x	x	x	!	*	!	!	!	!	!	x	x	Very common.
10	!	x	dry	x	*	*	*	x	!	!	!	!	x	*	Locally common.
11	!	x	x	x	x	!	*	!	!	!	!	!	x	x	Very common.
12				0											
13	*			x	*	x	x	x						x	
14				0											
15									!						
16	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Frequent.
17	!	x	*	x	x	*	x	!		!	x	x	x	x	Frequent.
18	!	x	*	x	x	x	*	!	!	!	!	!	x	x	Common.
19															Very rare.
20	*														By Deveron.
21															Coast—frequent.
22				0											
23							*		!		!	x			
24	!	x	*	x	x	*	x	!	!	!	!	!	x	x	Common.

		Belle.	Rathven.	Cullen.	Fordyce.	Boydie.	Banff.	Gamrie.	Alvah.	King-Edward.	Turriff.	Forglen.	Marnoch.	Inverkeithing.
GRAMINEAE—Contd.														
<i>Elymus arenarius</i> , Linn.	1					??								
FILICES.														
<i>Pteris aquilina</i> , Linn.	2	!	!	!	!	!	!	!	!	!	!	!	!	!
<i>Blechnum Spicant</i> , With.	3	!	!	!	!		!	!	!	!	!	!	!	!
<i>Asplenium Adiantum-nigrum</i> , Linn....	4					0		!	0	!				
var. <i>serpentinum</i>	5													
<i>A. marinum</i> , Linn.	6		!					!						
<i>A. viride</i> , Huds.	7													
<i>A. Trichomanes</i> , Linn.	8							0						
<i>A. Ruta-muraria</i> , Linn.	9								!					
<i>Athyrium Filix-fœmina</i> , Roth.	10			!	x	!	!	!	!	0	!	!	!	!
<i>Phyllitis Scolopendrium</i> , Newm.	11							0			0			
<i>Cystopteris fragilis</i> , Bernh.	12							0	0		0			
b. <i>dentata</i> , Hook.	13													
<i>Polystichum lobatum</i> , Presl.	14							0			0			
<i>P. Lonchitis</i> , Roth.	15													
<i>Lastrea montana</i> , T. Moore	16								*					x
<i>L. Filix-mas</i> , Presl.	17		!	!		!	!	!	!	!	!	!	!	x
<i>L. spinulosa</i> , Presl.	18													
<i>L. aristata</i> , Rendle & Britten	19	!	!	!	!	!	!	!	!	!	!	!	!	x
<i>Polypodium vulgare</i> , Linn.	20		!	!	x	!	!	!	!	!	0	*	!	x
<i>Phegopteris Dryopteris</i> , Fée	21		!					0	!		0			
<i>P. polypodioides</i> , Fée	22							0	0	0				
<i>Ophioglossum vulgatum</i> , Linn.	23							0						

[illegible]

	Rothiemay.	Cairnie.	Cabrach.	Kirkmichael.	Inveravon.	Aberlour.	Knockando.	Boharm.	Deskford.	Ordiquhill.	Grange.	Keith.	Botriphnie.	Mortlach.	
1			dry			*		!						0	Rare.
2	!	x	*	x	*	!	*	!	!	!	!	!	x	x	Very common.
3	!	x	*	x	x	!	*	!	!	!	!	!	x	x	Common.
4	!	x	*	x	*	!	*	!	!	!	!	x	x	x	Locally common.
5		x	*		*	!	*		!	!	!	x	x	x	Common.
6									!			x			With type—frequent.
7			dry									!			Rare.
8	x	x	dry	x		*		!		!	!	*		x	
9				0		0									
10	x	x	dry	x		*	*	x		!	!	!		x	
11		x	dry	x		*	*	x		!	!			x	
12				0		x				!					
13		x	x	x	x	x		!		!	!			x	Local.
14															Rare.
15		x	*								x	x			Rare.
16				0											Rare.
17												x			Rare.



PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

QK Craib, William Grant
308 The flora of Banffshire
C8
Biological
& Medical

